


## Custom Trailer Wheels

Our wheels are designed, manufactured and tested to provide service and performance that is the standard of the industry. These wheel designs are subjected to destructive “torture” testing to simulate extreme service and overload conditions. Spoke and Modular wheels not only offer a custom look, they have capacities that meet or exceed the O.E.M. design and are economical to use.


## Wheel Selection How-To's

A great deal of thought and consideration should be given when selecting trailer wheels. Important choices must be made from the various wheels on the market. When combining wheels, tires, hubs and axles, the load carrying capacity is limited to whichever component has the lowest rating. Load capacities relate specifically to generally accepted standard axle applications for conventional trailers used in normal highway service, loaded equally side-to-side. Unusual axle configurations, unequal fore and aft loading, or overload conditions can cause premature failure of wheels, tires and/or other parts.



### How To Determine Bolt Pattern:

Match wheels to hubs by the number of bolts and bolt circle. To determine the bolt circle on wheels with an even number of bolt holes, measure center-to-center on bolt holes directly across from each other on the diameter (Example: 8 on 6 1/2 would mean 8 bolt holes with 6 1/2” center-to-center diameter). On odd number bolt wheels, measure any bolt hole center to the point halfway between bolt holes on the diameter (Example: 5 on 4 1/2 would mean 5 bolt holes with 4 1/2” measure to a point halfway between the opposite bolts).



### How to Determine Wheel Offset:

Offset is the distance between the mounting face of the disc and rim centerline.

**Inset:** Refers to the distance when the mounting face is outboard of the rim centerline.

**Outset:** Refers to the distance when the mounting face is inboard of the rim centerline.

## Modular Trailer Wheels

| PART NO.     | REF. NO. | DIA. & WIDTH  | CAPACITY | OFFSET | BOLT PATTERN | PILOT DIA. | PAINT COLOR |
|--------------|----------|---------------|----------|--------|--------------|------------|-------------|
| WH1345-5WM   | 326025   | 13" X 4.5"    | 1660@65  | 0      | 5 ON 4 1/2   | 3.19       | WHITE       |
| 17-230-7     | 326030   | 14" X 5.5"    | 1870@50  | 0      | 5 ON 4 1/2   | 3.19       | WHITE       |
| 17-230-19    | 326032   | 14" X 5.5"    | 1870@50  | 0      | 5 ON 4 1/2   | 3.19       | SILVER      |
| 17-231-7     | 326035   | 15" X 5"      | 1820@50  | 0      | 5 ON 4 1/2   | 3.19       | WHITE       |
| WH1155-550WM | 326036   | 15" X 5"      | 2050@65  | 0      | 5 ON 5       | 3.30       | WHITE       |
| WH1155-550SM | 326034   | 15" X 5"      | 2050@65  | 0      | 5 ON 5       | 3.30       | SILVER      |
| 17-232-7     | 326040   | 15" X 6"      | 2050@75  | 0      | 5 ON 4 1/2   | 3.19       | WHITE       |
| 17-233-7     | 326050   | 15" X 6"      | 2600@75  | 0      | 6 ON 5 1/2   | 4.27       | WHITE       |
| WH156-6SM    | 326060   | 15" X 6"      | 2600@75  | 0      | 6 ON 5 1/2   | 4.27       | SILVER      |
| 17-232-19    | 326062   | 15" X 6"      | 2050@75  | 0      | 5 ON 4 1/2   | 3.19       | SILVER      |
| 17-255-7     | 326065   | 16" X 6"      | 3050@80  | 0      | 6 ON 5 1/2   | 4.27       | WHITE       |
| 17-255-19    | 326068   | 16" X 6"      | 3050@80  | 0      | 6 ON 5 1/2   | 4.27       | SILVER      |
| WH166-8WM    | 326070   | 16" X 6"      | 3750@110 | 0      | 8 ON 6 1/2   | 4.90       | WHITE       |
| 17-281-7     | 326075   | 16" X 6"      | 3750@110 | .50 IN | 8 ON 6 1/2   | 4.90       | WHITE       |
| WH166-8SM    | 326077   | 16" X 6"      | 3750@110 | 0      | 8 ON 6 1/2   | 4.90       | SILVER      |
| 17-281-19    | 326078   | 16" X 6"      | 3750@110 | .50 IN | 8 ON 6 1/2   | 4.90       | SILVER      |
| 17-280-7     | 326085   | 16.5" X 6.75" | 3530@90  | .50 IN | 8 ON 6 1/2   | 4.90       | WHITE       |



## White Spoke Wheels

| PART NO.      | REF. NO. | DIA. & WIDTH  | CAPACITY | OFFSET | BOLT PATTERN | PILOT DIA. |
|---------------|----------|---------------|----------|--------|--------------|------------|
| 17-213-7      | 326095   | 12" X 4"      | 1045@90  | 0      | 4 ON 4       | 2.84       |
| 17-214-7      | 326100   | 12" X 4"      | 1045@90  | 0      | 5 ON 4 1/2   | 3.19       |
| WH1345-4WS    | 326160   | 13" X 4.5"    | 1100@50  | 0      | 4 ON 4       | 2.82       |
| 17-189-7      | 326200   | 13" X 4.5"    | 1660@65  | 0      | 5 ON 4 1/2   | 3.19       |
| 17-142-7      | 326225   | 14" X 5.5"    | 1870@50  | 0      | 5 ON 4 1/2   | 3.19       |
| 17-143-7      | 326230   | 15" X 5"      | 1820@50  | 0      | 5 ON 4 1/2   | 3.19       |
| WH1155-550WS  | 326232   | 15" X 5"      | 2050@65  | 0      | 5 ON 5       | 3.30       |
| 17-149-7      | 326235   | 15" X 6"      | 2050@75  | 0      | 5 ON 4 1/2   | 3.19       |
| WH1156-5475WS | 326260   | 15" X 6"      | 2150@95  | 0      | 5 ON 4 3/4   | 3.30       |
| WH1156-550WS  | 326256   | 15" X 6"      | 2150@95  | 0      | 5 ON 5       | 3.30       |
| 17-144-7      | 326275   | 15" X 6"      | 2600@75  | 0      | 6 ON 5 1/2   | 4.27       |
| 17-243-7      | 326290   | 16" X 6"      | 3050@80  | 0      | 6 ON 5 1/2   | 4.27       |
| 17-162-7      | 326300   | 16" X 6"      | 3750@110 | 0      | 8 ON 6 1/2   | 4.90       |
| 17-163-7      | 326375   | 16.5" X 6.75" | 3530@90  | 0      | 8 ON 6 1/2   | 4.90       |



## Chrome Wheels

Chrome Wheels have all of the features and benefits of Painted Wheels, plus a bright chrome plated finish. Available in eight spoke or 10-hole modular versions.

| PART NO.   | REF. NO. | DIA. & WIDTH | CAPACITY | STYLE | OFFSET | BOLT PATTERN | PILOT DIA. |
|------------|----------|--------------|----------|-------|--------|--------------|------------|
| WH1345-5CS | 327620   | 13" X 4 1/2" | 1660@65  | SPOKE | 0      | 5 ON 4 1/2   | 2.95       |
| WH146-5CS  | 327800   | 14" X 6"     | 1870@60  | SPOKE | 0      | 5 ON 4 1/2   | 3.30       |
| WH146-5CM  | 327900   | 14" X 6"     | 1870@60  | MOD   | 0      | 5 ON 4 1/2   | 3.30       |
| WH156-5CS  | 328000   | 15" X 6"     | 2600@80  | SPOKE | 0      | 5 ON 4 1/2   | 3.30       |
| WH156-6CS  | 328200   | 15" X 6"     | 2600@80  | SPOKE | 0      | 6 ON 5 1/2   | 4.29       |
| WH166-8CS  | 328400   | 16" X 6"     | 3800@110 | SPOKE | 0      | 8 ON 6 1/2   | 5.15       |
| WH166-8CM  | 328500   | 16" X 6"     | 3800@110 | MOD   | 0      | 8 ON 6 1/2   | 5.15       |



TIRES & WHEELS

## Galvanized Spoke Trailer Wheels

These galvanized spoke wheels are perfect for salt water marine trailers or any situation that demands added corrosion resistance. Choose the size that best fits your needs.

| PART NO.    | REF. NO. | DIA. & WIDTH | CAPACITY | OFFSET | BOLT PATTERN | PILOT DIA. |
|-------------|----------|--------------|----------|--------|--------------|------------|
| WH1345-5GVS | 328700   | 13" X 4 1/2" | 1660@65  | .19 IN | 5 ON 4 1/2   | 3.30       |
| WH146-5GVS  | 328720   | 14" X 6"     | 1870@60  | .60 IN | 5 ON 4 1/2   | 3.30       |
| WH156-5GVS  | 328740   | 15" X 6"     | 2600@80  | .60 IN | 5 ON 4 1/2   | 3.30       |
| WH156-6GVS  | 328750   | 15" X 6"     | 2600@80  | .60 IN | 6 ON 5 1/2   | 4.25       |



## Utility Rims

Many utility trailers have been equipped with "UTG" or utility type axles that require a 14.5" diameter rim. We have 2 widths available, 6.00" and 7.00". These rims are specifically manufactured for trailer use.

| PART NO. | REF. NO. | DIA. & WIDTH | CAPACITY | BOLT PATTERN |
|----------|----------|--------------|----------|--------------|
| R145-6   | 333005   | 14.5" X 6"   | 3016@85  | RIM          |
| R145-7   | 333020   | 14.5" X 7"   | 3500@100 | RIM          |



## Aluminum Trailer Wheels



These great looking mods, stars, directional and "Series 06" spoke design wheels have been built from the ground up, specifically for trailer use. They all feature steel hole inserts and are individually boxed. A wet clear coat finish ensures long lasting corrosion resistance. All are covered by a 3 year limited manufacturer's warranty.



| PART NO.        | REF. NO. | DIA. & WIDTH  | CAP / PSI                            | OFFSET  | BOLT PATTERN | PILOT DIA. | DESIGN      |  |
|-----------------|----------|---------------|--------------------------------------|---------|--------------|------------|-------------|--|
| WH135-5SA       | 326600   | 13" X 5"      | 1660@65                              | 0       | 5 ON 4 1/2   | 3.19       | STAR        |  |
| WH1455-5A       | 326700   | 14" X 5.5"    | 1900@60                              | 0       | 5 ON 4 1/2   | 3.19       | MOD         |  |
| WH1455-5SA      | 326705   | 14" X 5.5"    | 1900@60                              | 0       | 5 ON 4 1/2   | 3.19       | STAR        |  |
| WH156-5A        | 326710   | 15" X 6"      | 2150@60                              | 0       | 5 ON 4 1/2   | 3.19       | MOD         |  |
| WH156-506A      | 326713   | 15" X 6"      | 2150@60                              | 0       | 5 ON 4 1/2   | 3.19       | SERIES 06   |  |
| WH156-5SA       | 326715   | 15" X 6"      | 2150@80                              | 0       | 5 ON 4 1/2   | 3.19       | STAR        |  |
| WH156-5DA       | 326717   | 15" X 6"      | 2150@60                              | 0       | 5 ON 4 1/2   | 3.19       | DIRECTIONAL |  |
| WH156-6A        | 326720   | 15" X 6"      | 2830@65                              | 0       | 6 ON 5 1/2   | 4.25       | MOD         |  |
| WH156-606A      | 326723   | 15" X 6"      | 2830@65                              | 0       | 6 ON 5 1/2   | 4.25       | SERIES 06   |  |
| WH156-6SA       | 326725   | 15" X 6"      | 2830@65                              | 0       | 6 ON 5 1/2   | 4.25       | STAR        |  |
| WH156-6DA       | 326727   | 15" X 6"      | 2830@65                              | 0       | 6 ON 5 1/2   | 4.25       | DIRECTIONAL |  |
| WH167-6A        | 326730   | 16" X 7"      | 3200@80                              | .31 OUT | 6 ON 5 1/2   | 4.25       | MOD         |  |
| WH167-6SA       | 326735   | 16" X 7"      | 3200@80                              | .19 IN  | 6 ON 5 1/2   | 4.25       | STAR        |  |
| WH167-8A        | 326740   | 16" X 7"      | 3200@80                              | .31 OUT | 8 ON 6 1/2   | 5.15       | MOD         |  |
| WH167-806A      | 326743   | 16" X 7"      | 3200@80                              | 0       | 8 ON 6 1/2   | 5.15       | SERIES 06   |  |
| WH167-8SA       | 326745   | 16" X 7"      | 3200@80                              | .19 IN  | 8 ON 6 1/2   | 5.15       | STAR        |  |
| WH167-8DA       | 326747   | 16" X 7"      | 3200@80                              | .19 IN  | 8 ON 6 1/2   | 5.15       | DIRECTIONAL |  |
| WH175675-8MAK   | 326800   | 17.5" x 6.75" | 4850@130                             | 0       | 8 ON 6 1/2   | 4.90       | MOD         |  |
| WH175675-8MAKHD | 326820   | 17.5" X 6.75" | 6050@130                             | 0       | 8 ON 6 1/2   | 4.77       | MOD HD      |  |
| LA-341316       | 333385   | 3/4"-13/16"   | LUG ADAPTER FOR SERIES 06 ALUM. WHLS |         |              |            |             |  |

TIRES & WHEELS

## O.E.M. Single Wheels

O.E.M. design wheels have been the standard used on trailers for many years. They offer the appearance, strength and simplicity that many customers prefer. We offer O.E.M. design wheels in sizes from 8" to 17.5" diameter.



| PART NO.           | REF. NO. | DIA. & WIDTH  | CAPACITY | OFFSET  | BOLT PATTERN | PILOT DIA. | HUB CAP |
|--------------------|----------|---------------|----------|---------|--------------|------------|---------|
| WH84-40E           | 321800   | 8" X 3.75"    | 715@100  | 0       | 4 ON 4       | 2.50       | 1102    |
| WH84-50E           | 322000   | 8" X 3.75"    | 715@100  | 0       | 5 ON 4 1/2   | 2.89       | 1102    |
| WH106-40E          | 322200   | 10" X 6"      | 1535@110 | 0       | 4 ON 4       | 2.50       | 1102    |
| WH106-50E          | 322400   | 10" X 6"      | 1535@110 | 0       | 5 ON 4 1/2   | 2.81       | 1102    |
| WH1345-50E         | 323200   | 13" X 4.5"    | 1480@50  | .50 IN  | 5 ON 4 1/2   | 2.62       | 1308    |
| WH1455-50E         | 323400   | 14" X 5.5"    | 1870@50  | .50 IN  | 5 ON 4 1/2   | 2.62       | 1308    |
| WH155-50E          | 323600   | 15" X 5"      | 1820@50  | .50 IN  | 5 ON 4 1/2   | 2.62       | 1308    |
| WH156-50E          | 323625   | 15" X 6"      | 1820@75  | .50 IN  | 5 ON 4 1/2   | 2.62       | 1308    |
| WH156-60E          | 323800   | 15" X 6"      | 2600@75  | 0       | 6 ON 5 1/2   | 3.65       | 1306    |
| WH166-60E          | 324200   | 16" X 6"      | 3050@80  | 0       | 6 ON 5 1/2   | 3.65       | 1309    |
| 17-153             | 324400   | 16" X 6"      | 3750@110 | .50 IN  | 8 ON 6 1/2   | 4.89       | 1309    |
| 17-154             | 324600   | 16.5" X 6.75" | 3530@90  | .50 IN  | 8 ON 6 1/2   | 4.89       | 1309    |
| WH165975-8HD       | 324650   | 16.5" X 9.75" | 4200@75  | .50 IN  | 8 ON 6 1/2   | 4.78       | N/A     |
| WH175675-80E.19IN  | 325000   | 17.5" X 6.75" | 6200@125 | .19 IN  | 8 ON 6 1/2   | 4.75       | N/A     |
| WH175675-80E.31OUT | 325425   | 17.5" X 6.75" | 6200@125 | .31 OUT | 8 ON 6 1/2   | 4.75       | N/A     |
| WH175675-80E.50OUT | 325430   | 17.5" X 6.75" | 6200@125 | .50 OUT | 8 ON 6 1/2   | 4.75       | N/A     |


## O.E.M. Dual Wheels

Because of the increasing use of dual wheel axles, it has become very important that we be able to supply our customers with wheels that complement the axles and tires used in any given application. We feel the group of Dual Wheels listed below will fit your needs. We offer dual wheels in diameters from 14.5" to 22.5", with various designs and capacities.

| PART NO.          | REF. NO. | DIA. & WIDTH  | CAPACITY | OFFSET    | BOLT PATTERN | PILOT DIA. |
|-------------------|----------|---------------|----------|-----------|--------------|------------|
| WHDD145700-80E    | 328800   | 14.5" X 7"    | 3000@100 | 5.65 OUT  | 8 ON 6 1/2   | 4.75       |
| 17-279            | 329500   | 16" X 6"      | 3100@110 | 5.50 OUT  | 8 ON 6 1/2   | 4.75       |
| WHIDS166-80E      | 329540   | 16" X 6"      | 3500@110 | 5.50 OUT  | 8 ON 6 1/2   | 4.75       |
| WHFD166-80E       | 329600   | 16" X 6"      | 3315@80  | 5.00 OUT  | 8 ON 6 1/2   | 4.86       |
| WHHD166-80E       | 329675   | 16" X 6"      | 2500@80  | 5.00 OUT  | 8 ON 6 1/2   | 4.88       |
| 17-157            | 330200   | 16.5" X 6.75" | 3000@80  | 5.50 OUT  | 8 ON 6 1/2   | 4.75       |
| WHFD165675-80E    | 330400   | 16.5" X 6.75" | 3200@80  | 5.375 OUT | 8 ON 6 1/2   | 4.86       |
| WHD175675-275-80E | 330500   | 17.5" X 6.75" | 6200@125 | 5.60 OUT  | 8 ON 275mm   | 221mm      |
| WHD175675-100E    | 330600   | 17.5" X 6.75" | 6200@125 | 6.19 OUT  | 10 ON 8 3/4  | 6.50       |
| WHD225825-100E    | 330800   | 22.5" X 8.25" | 8000@120 | 6.625 OUT | 10 ON 11 1/4 | 8.718      |



## QuickTrim® ABS Trailer Hub Covers & Wheel Liners



QuickTrim® ABS Chrome Hub Covers & Wheel Liners offer a quick and cost effective way to dress up your trailer wheels. Features include easy snap-on installation, and five convenient sizes. Hub Covers are also available in low cost black ABS plastic.



TIRES & WHEELS

| PART NO.  | REF. NO. | BOLT PATTERN | COLOR      | LUG SIZE |
|-----------|----------|--------------|------------|----------|
| QT545C    | 335395   | 5 ON 4 1/2   | CHROME     | -        |
| QT655C    | 335420   | 6 ON 5 1/2   | CHROME     | -        |
| QT655B    | 335425   | 6 ON 5 1/2   | BLACK      | -        |
| QT765C    | 335430   | 8 ON 6 1/2   | CHROME     | 13/16"   |
| QT865C    | 335440   | 8 ON 6 1/2   | CHROME     | 7/8"     |
| QT544CLO  | 335500   | 5 ON 4 1/2   | CHROME ABS | 14"      |
| QT545CLO  | 335510   | 5 ON 4 1/2   | CHROME ABS | 15"      |
| QT655CLO  | 335515   | 6 ON 5 1/2   | CHROME ABS | 15"      |
| QT6556CLO | 335520   | 6 ON 5 1/2   | CHROME ABS | 16"      |
| QT865CLO  | 335525   | 8 ON 6 1/2   | CHROME ABS | 16"      |



## Wheel Simulators

Dress up your plain trailer wheels with these great looking wheel simulators. All are made of mirror finish stainless steel for a long lasting shine.



**Won't rust! Easy to install! No special tools required!**



| PART NO. | REF. NO. | DESCRIPTION                  | WHEEL SIZE | FINISH          |
|----------|----------|------------------------------|------------|-----------------|
| GQST50   | 335100   | SNAP-ON (SET OF 4)           | 15"        | STAINLESS STEEL |
| NST06    | 335125   | DOT BOLT ON (4/SET)          | 16"/16.5   | STAINLESS STEEL |
| NDT675   | 335140   | DUAL BOLT-ON (4/SET)         | 16"/16.5"  | STAINLESS STEEL |
| GDST175  | 335160   | BOLT ON (SET OF 4)           | 17.5"      | STAINLESS STEEL |
| GQ64     | 335180   | DUALY TRUCKS SNAP-ON (4/SET) | 16"        | STAINLESS STEEL |