

Ranch Hitch Gooseneck to 5th Wheel Adapter & Accessories

The perfect adapter; converts 5th Wheel Trailers to a Gooseneck Trailer, allowing Gooseneck Hitch owners to pull 5th Wheel Trailers.

- Fits 2 5/16" ball hitch
- 24K Trailer GVWR & 6K tongue weight
- 3" vertical adjustment
- The **ONLY REMOTE CONTROL** adapter on the market
- Kit includes all hardware for attachment to 5th wheel trailer.



PART NO.	REF. NO.	DESCRIPTION
3103	314706	SLIDE HAMMER FOR RANCH HITCH ADAPTER
3109	314707	SAFETY CHAINS FOR RANCH HITCH ADAPTER
3100	314708	UNIVERSAL RANCH HITCH ADAPTER, FITS 2 5/16" BALL

5th Wheels



Ideal for use on R.V., utility or industrial trailers and accepts standard 2" SAE king pins. All three are rated at 32,000 lbs. capacity.

PART NO.	REF. NO.	DESCRIPTION	PIVOT STYLE	APPLICATION
FW0001	296200	HOLLAND 5TH WHL, 12" DIA.	SINGLE	INVERTED ON TRAILER
FW0002-45	296400	HOLLAND 5TH WHL, 12" DIA.	DOUBLE	INVERTED ON TRAILER
FW6000	296600	HOLLAND 5TH WHL, 22" DIA.	SINGLE	MTD ON TOW VEHICLE



King Pins

2" SAE King Pins are the standard of the industry and are suitable for use in all over-the-road applications. The Holland Retractable King Pin disappears into the truck bed when not in use and is to be used with inverted 5th wheel trailers equipped with FW0001 or FW0002-45.

PART NO.	REF. NO.	DESCRIPTION	APPLICATION
T809	297200	RIGID WELD-ON, 3/8" BOLSTER	PIN BOX ON TRAILER
FW0030	297400	HOLLAND RETRACTABLE, 4 BOLT, 14" X 14"	BED OF TOW VEHICLE



Hijacker RV 5th Wheels & Gooseneck Hitches

Hijacker offers the most complete line of Fifth Wheel Hitches in the Industry. The two different series of hitches have rails that install either “along the bed” (sliders) or “across the bed” (ultras) and both series have Gooseneck hitches, as well. Enjoy smooth towing with the strongest and most durable Fifth Wheel Hitches on the market. The following features are common to both the Slider Series and the Ultra Series:

- Black powder coat finish
- Jaw bolt adjustment
- Multi position jaw handle
- All 5th wheels have 4” of height adjustment
- Sliding 5th wheels have 8” of adjustment
- Modular concept permits upgrade from 16K single to 16K double pivot to 21K double pivot
- 5 Year warranty
- UPS shippable

Hijacker®

Slider Series

- Rails install *along* the truck bed
- Rails permit easier use of truck bed


PART NO.	REF. NO.	DESCRIPTION	CAPACITY	TONGUE WT.
HJ7001SR	296800	16K SINGLE PIVOT 5TH WHL	16K	4K
HJ7001DPSR	296830	16K DBL PIVOT 5TH WHL	16K	4K
HJ7021DPSR	296850	21K DBL PIVOT 5TH WHL	21K	5.2K
HJ7025GNSR	296860	25K GN HITCH, 2 5/16” BALL	25K	4.5K



HJ7001SR



HJ7001DPSR



HJ7021DPSR



HJ7025GNSR

TOWING
ACCESSORIES

Hijacker®

Ultra Series

- Rails install *across* the truck bed
- Ultra Slide permits sliding without lowering jacks

PART NO.	REF. NO.	DESCRIPTION	CAP.	TONGUE WT.
HJ7001	296700	16K ULTRA SINGLE PIVOT 5TH WHL	16K	4K
HJ7001DP	296730	16K ULTRA DBL PIVOT 5TH WHL	16K	4K
HJ7021DP	296750	21K ULTRA DBL PIVOT 5TH WHL	21K	5.2K
HJ7025GN	296760	25K GN HITCH, 2 5/16” BALL	25K	4.5K
HJ7001USR	296870	16K SINGLE PIVOT ULTRA SLIDE 5TH WHL	16K	4K
HJ7001DPUSR	296875	16K DBL PIVOT ULTRA SLIDE 5TH WHL	16K	4K
HJ7021DPUSR	296877	21K DBL PIVOT ULTRA SLIDE 5TH WHL	21K	5.2K
HJ24AS18	296895	18K DBL PIVOT ULTRA AUTO SLIDE 5TH WHL HCH	18K	



HJ7001



HJ7021DP



HJ7001DPUSR



HJ7025GN

Hijacker Installation Brackets & Mounting Rails

Twelve different frame brackets are offered for specific types of vehicles, dramatically reducing installation time of the Hijacker systems. The application chart at the bottom of this page shows how many of each type of bracket are used for each vehicle. The chart below lists the Part No. & Ref. No. for each type of bracket.

PART NO.	REF. NO.	DESCRIPTION	TYPE
SRU411	296900	HIJACKER MTG BKT STD RL FITS MOST TRUCKS	A
SRU411AR	296905	HIJACKER MTG BKT STD RL PRE-88 CHEV, POST92 FORDS	B
SRU411AL	296906	HIJACKER MTG BKT STD RL PRE-88 CHEV, POST92 FORDS	C
SRU411B	296910	HIJACKER MTG BKT STD RL POST 88 CHEV	D
SRU411C	296915	HIJACKER MTG BKT SLDR RL POST 88 CHEV	E
SRU411D	296920	HIJACKER MTG BKT FOR SL MULTI-FORD/DODGE/CHEV	F
SRU411ER	296925	HIJACKER MTG BKT STD RL 99 FORD F250 & F350 SD	G
SRU411EL	296926	HIJACKER MTG BKT STD RL 99 FORD F250 & F350 SD	H
D1535BK	296931	HIJACKER UL BKT DODGE 02-08 1500 03-08 2500 & 3500 (4X4)	I
D3500BK2	296933	HIJACKER UL MTG BKT DODGE 03-08 3500 (4X2) ONLY	
F150BK04	296935	HIJACKER UL MTG BKT 04-08 FORD F150 UL MODEL ONLY	
F150SLBK	296940	HIJACKER SLIDER MTG BKT 04-08 FORD F150	
F350ULBK	297000	HIJACKER MTG BKT ULTRA, 05-08 F250 - F350SD, 08 F450	
F350SLBK	297010	HIJACKER MTG BKT SLIDER 05-08 F250-350SD, 08 F450	
T07ULBK	297020	HIJACKER MTG BKT ULTRA 2007 TOYOTA TUNDRA	


NOTE: All Hijacker 5th wheel and Gooseneck Hitches come standard with one set (4 ea.) of type A (part # SRU411) bracket

VEHICLE:	ULTRA SERIES	SLIDER SERIES	VEHICLE:	ULTRA SERIES	SLIDER SERIES
FORD			DODGE		
04-08 F150 REG/ SUPER CAB ONLY	F150BK04	F150SLBK	03-08 RAM 3500 2WD ONLY	D3500BKT	6-F
2001 F450/550 "SUPER DUTY"	2-A, 1-B, 1-C	*	02-08 RAM 1500 (INCLUDES QUAD CAB)	D1535BK	6-F
1999-04 F-250/350 "SUPER DUTY"	2-A, 1-G, 1-H	6-A	03-08 RAM 2500/3500	1-I	6-F
05-06 F250/350 "SUPER DUTY"	1-A, 1-B, 1-G, 1-H	5-A, 1-C	94-02 RAM 1500 TO 3500	4-A	6-A
1992-98 F350	2-A, 1-B, 1-C	6-A	93 & EARLIER RAM	4-A	6-A
1997-98 F250 "HEAVY DUTY"	2-A, 1-B, 1-C	6-A	03-04 DAKOTA	2-A, 1-B, 1-C	6-A
1997-99 F250 "LIGHT DUTY"	4-A	6-F	01 & EARLIER DAKOTA	4-A	6-A
1997-2003 F150	4-A	6-F	CHEVROLET		
1989-96 F150/250	2-A, 1-B, 1-C	6-A	99-07 SILVERADO & SIERRA, 1500/2500 LONG & SHORTBED	4-A	6-F
1973-88 F-SERIES	2-A, 1-B, 1-C	6-A	01-07 SILVERADO, 1500 HD LONG & SHORTBED	4-A	6-F
2000 & EARLIER RANGER	**	6-D	01-07 SILVERADO, 2500 & 3500 HD LONG & SHORTBED	4-A	6-F
TOYOTA			88-01 3500 LONGBED	4-A	4-A, 2-E
2001-06 TUNDRA	4-A	*	88-98 1500/2500 LONG & SHORTBED	4-A	4-A, 2-E
2001 & EARLIER TACOMA	**	6-E	88 & EARLIER S-10	**	6-A
2000 & EARLIER T100	4-A	6-E	87 & EARLIER PICKUPS	2-A, 2-B	*

* This model not recommended
 ** This model will not fit



Gooseneck Hitches, RV 5th Wheel & Accessories



The B & W Turnover Ball™ System converts from a towing unit to a level bed in less than 30 seconds. Another much appreciated benefit is the ease of installation. The hitch bolts directly to the frame under the bed using the existing holes. Parts listed below ending in “R” include mounting rails. Capacity rated at 30,000 lbs, tongue weight of 7,500 lbs. The RV 5th wheel Companion™ is capacity rated at 18,000 lbs, tongue weight of 5,500 lbs.



OFFICIAL HITCH OF THE PBR & PRCA

Our Turnover Ball “flat bed kit” (Part No. BW1500) is specially designed to be built into a custom or home-made flat bed, to be used with 1/8” thick floorplate, which consists of the ball socket, a 2 5/16” ball, and the latch pin assembly. Also available is a flat bed version of our Companion™ 5th Wheel RV hitch, (Part No. BW3050) as shown below.

TOWING ACCESSORIES

PART NO.	REF. NO.	DESCRIPTION
BW1007R	314631	07-08 CHEV/GMC 1/2 TON LB ONLY NEW BXD FRAME
BW1394R	314632	94-01 1/2 T DODGE, 94-02 3/4T & 1T
BW1059R	314634	01-07 CHEV/GMC 1/2T & 3/4T LIGHT DUTY
BW1057R	314635	07-08 CHEV/GMC 1/2 TON SB ONLY NEW BOXED FRAME
BW1000R	314636	88-98 CHEVY/GMC 1/2, 3/4, 1T LB & 99-00 3/4 & 1T LB
BW1067R	314637	01-08 CHEV/GMC 3/4 TON HD SB OR LB, 07-08 CHEV/GMC 1T NEW BODY W/1 CROSSMEMBER OVR AXLE
BW1050R	314638	88-98 CHEVY/GMC 1/2, 3/4, 1T SB & 99-00 3/4 & 1T SB
BW1062R	314639	01-07 CHEVY/GMC 1T HD (W/2 BED CROSS MEMBERS)
BW1100R	314640	80-98 FORD 3/4, 1T W/O OVERLOAD SPRINGS
BW1110R	314642	80-98 FORD 3/4, 1T W/ OVERLOAD SPRINGS
BW1150R	314644	80-96 FORD 1/2 TON
BW1197R	314646	97-04 FORD OLD BODY STYLE 1/2T, LIGHT DUTY 3/4T
BW1104R	314648	04-08 FORD F150 1/2T NEW BODY STYLE
BW1108R	314650	GN HCH 99-08 FORD 3/4 & 1T SD& 08 F450 W/FCTRY BED
BW1306R	314658	GN HITCH 03-08 DODGE 3/4, 1 TON & MEGA-CAB
BW1316R	314659	GN HITCH 02-08 DODGE 1/2 TON EXCPT MEGA
BW1500	314660	GN HITCH FLAT BED TRUCKS
BW3050R	314662	RV 5TH WHL COMPANION™ FLAT BED
BW3000	314700	RV 5TH WHEEL COMPANION™
BW1257R	314655	07 GN HITCH TOYOTA TUNDRA (NOT CREW-MAX)



BW3000
18K GVW



Companion 5th Wheel RV Hitch for FLATBEDS



Companion 5th Wheel RV Hitch

- Powder coat finish
- Full 1 1/8” locking jaws
- Cam action latching mechanism
- No mounting rails in the truck bed
- Vibration dampening polyurethane bushings
- Effortless hook-up & release, even under load



PART NO.	REF. NO.	DESCRIPTION
BW2050	314668	2 5/16” HI-RISE HITCHBALL
BW2000	314676	REPLACEMENT 2 5/16” HITCH BALL
BW4085	314705	TURNOVER BALL GN EXTENDER 2 5/16” BALL
GNXA8030	314710	B & W HITCH INSTALLATION HELPER