



# Body Components

Hydraulic Hoist Systems.....	H-2, H-3	Clamp Rings for 90 Degree Windows .....	H-11
Single Axle Fenders .....	H-4	Air Conditioners .....	H-11
Tandem Axle Fenders .....	H-5	Document Holder.....	H-12
Triple Axle Fender .....	H-5	Two-Speed Electric Fan .....	H-12
Fender Backs.....	H-6	Aluminum Gravel Guard.....	H-12
Van Trailer Ball Corners.....	H-6	Vinyl Gravel Guard.....	H-12
Van Trailer Roof Caps.....	H-6	Safety Tread.....	H-12
Van Trailer Hat Bows.....	H-6	Molded Trailer Vents.....	H-12
Van Trailer Body Side Posts.....	H-6	Butterfly Ventilator .....	H-13
Van Trailer Corner Posts .....	H-7	Sloped Ventilators.....	H-13
Van Trailer Roof Cove.....	H-7	Dome Ventilators.....	H-13
Brush Fender Side.....	H-7	Pop-up Ventilators.....	H-13
Stock Trailer Side Panels.....	H-7	Weather Strip Tape.....	H-13
Metal Slats .....	H-7	Trim (Aluminum & Self-Adhesive) .....	H-14, H-15
Running Board .....	H-8	Rubber Trailer Mats.....	H-16
Nose Bows .....	H-8	Heavy Duty Rubber Trailer/Stall Mat .....	H-16
Stock Trailer Pipe Bow .....	H-8	Trailer Cushioning Mat .....	H-17
Top Bows.....	H-8	Horse Trailer Pads .....	H-17
Ball Corners .....	H-9	Pre-Drilled Rubber Bumpers .....	H-17
Roof Caps .....	H-9	Water Caddy.....	H-18
Gussets.....	H-9	Window Nets.....	H-18
Metal Trailer Doors .....	H-10	Mud Flaps.....	H-18
Camper Doors .....	H-10	Rumber Stock Trailer Flooring.....	H-19
Uvex Windows & Frames.....	H-10	Rumber Molded Trailer Accessories.....	H-20
Drop-Down Windows .....	H-10	Trailer Wall Liner .....	H-20
90 Degree Radius Windows.....	H-11		

- Engineer Designed Hoist Systems with capacity ratings based on length of dump body.
- Specifically designed for light-to-medium duty dump trailers.
- Complete systems include hoist, 12V pump/reservoir with attached 10ft remote control cord, all hoses & battery cables.
- Choose from hose lengths of 54", 66" and 96".
- Single Acting Systems are standard. Double Acting (power-up/power-down) are available upon request.

**Hydraulic Hoist Packages consist of: Scissor Hoist, 12V pump w/integral reservoir & 10ft remote control cable, body prop, 2-piece rear hinge kit, 1 pair 24" battery cables & supply/return hoses.**

**Complete, detailed installation instructions are available by request from your local Redneck Sales Representative, or online at [www.colthoists.com](http://www.colthoists.com).**



**COLT HOIST CAPACITY BASED ON  
 12" OVERHANG & 45° (IN TONS)**

Body Length	TR3	TR5	TR6DP*	TR8	TR10	TR15	TR18
6' ...	5.9						
7' ...	4.7						
8' ...	3.9 ...	8.6 ...	8.6 ...	13.0			
9' ...	3.4 ...	7.1 ...	7.4 ...	11.2			
10' ...	2.9 ...	6.2 ...	6.5 ...	9.8 ...	11.8 ...	17.1	
12' ...		5.0 ...	5.2 ...	7.8 ...	9.5 ...	13.6 ...	17.5
14' ...				6.5 ...	7.9 ...	11.4 ...	14.6
15' ...					7.3 ...	10.5 ...	13.5
16' ...					6.7 ...	9.7 ...	12.5
18' ...						8.5 ...	10.9

**\* Direct-push model, not a scissor-lift system.**



**Model# TR15**



## Trailer Hoist Systems & Components

### COLT HYDRAULIC HOISTS

COMPLETE HOIST SYSTEMS (BY MODEL)	54" HOSE LENGTH		66" HOSE LENGTH		96" HOSE LENGTH	
	PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.
TR3	TR3-54	351205	TR3-66	351210	TR3-96	351220
TR5	TR5-54	351230	TR5-66	351235	TR5-96	351245
TR6DP	TR6DP-54	351247	TR6DP-66	351249	TR6DP-96	351254
TR8	TR8-54	351255	TR8-66	351260	TR8-96	351270
TR10	TR10-54	351272	TR10-66	351273	TR10-96	351275
TR15	TR15-54	351276	TR15-66	351277	TR15-96	351279
TR18	TR18-54	351281	TR18-66	351282	TR18-96	351284

### HYDRAULIC HOSES

REPLACEMENT HYDRAULIC HOSES (BY TYPE)	54" HOSE LENGTH		66" HOSE LENGTH		96" HOSE LENGTH	
	PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.
"POWER" High-Pressure Hose (lg)	HH54-PH	351285	HH66-PH	351290	HH96-PH	351300
"RETURN" Low-Pressure Hose (sm)	HH54-RTH	351305	HH66-RTH	351310	HH96-RTH	351320

### REPLACEMENT COMPONENTS

PART NO.	REF. NO.	DESCRIPTION
CH155372	351322	12V SINGLE ACTION HYD PUMP UNIT W/REMOTE CABLE TR3 - TR10
CH155374	351324	12V SINGLE ACTION HYD PUMP UNIT W/REMOTE CABLE TR15 - TR18
CH155375	351325	TR6DP SINGLE ACTION FITTINGS & BODY PROP KIT
CH155376	351326	TR3 SINGLE ACTION FITTINGS & BODY PROP KIT
CH155377	351327	TR5 & TR8 SINGLE ACTION FITTINGS & BODY PROP KIT
CH155379	351329	TR10-TR18 SINGLE ACTION FITTINGS & BODY PROP KIT
CH155385	351335	TR3 HYD SCISSOR HOIST (FRAME & CYLINDER ONLY)
CH155386	351336	TR5 HYD SCISSOR HOIST (FRAME & CYLINDER ONLY)
CH155387	351337	TR8 HYD SCISSOR HOIST (FRAME & CYLINDER ONLY)
CH155388	351338	TR10 HYD SCISSOR HOIST (FRAME & CYLINDER ONLY)
CH155389	351339	TR15 HYD SCISSOR HOIST (FRAME & CYLINDER ONLY)
CH155390	351340	TR18 HYD SCISSOR HOIST (FRAME & CYLINDER ONLY)
CH155399	351341	BATTERY CABLE, 24" POSITIVE (RED)
CH155400	351342	BATTERY CABLE, 24" NEGATIVE (BLACK)
CH155401	351343	HINGE KIT, FOR COLT TR3-TR8
CH155402	351344	HINGE KIT, FOR COLT TR10 - TR18
CH155403	351345	TR6DP DIRECT PUSH HOIST (BRKTS & CYLINDER ONLY)



BODY COMPONENTS & FLOORING



Electric power unit w/remote

## Single Axle 1" Radius Fenders



PART NO.	REF. NO.	WIDTH	LENGTH	HEIGHT	RADIUS		MATERIAL	TIRE
					TYPE			
F55X1925-1R	355420	5.5"	19.5"	5.25"	1", 90°	BACK	16GA	8"
F7X28-1RBS	355440	7"	28"	10"	1" BOTH SIDES		16GA	13", 14"
F775X28-1R	355460	7.75"	28"	10"	1", 90°	BACK	16GA	13", 14"
F775X28-1RWB	355470	7.75"	28"	10"	1", 90°	BACK	16GA	BACK INSTALLED
F9X32-1R	355480	9"	32"	15"	1", 90°	BACK	16GA	14", 15"
F9X32-1RWB	355620	9"	32"	15"	1", 90°	BACK	16GA	BACK INSTALLED
F9X32-1RTP	355640	9"	32"	15.25"	1", 90°	BACK	14 GA TRDPLT	14", 15"
F1075X32-1R	355670	10.75"	32"	15.25"	1", 90°	BACK	16GA	14", 15"
F1075X36-1R	355680	10.75"	36"	20"	1", 90°	BACK	16GA	15", 16"
F13X36-1R	355700	13"	36"	20"	1", 90°	BACK	16GA	16", 16.5"

## Single Axle Poly Fenders

Poly Fenders are popular in the marine industry, and have many other possible applications. Hot-dip galvanized brackets make fender installation a simple job.



PART NO.	REF. NO.	WIDTH	LENGTH	HEIGHT	TYPE	MATERIAL	TIRE
PF775X21W	355300	7.75"	21"	5.25"	FENDER	WHITE POLY	8-12"
PF775-BKT	355310	N/A	N/A	N/A	BRACKET	GALV STEEL	FOR FENDER ABOVE
PF11X35W	355320	11.38"	35"	13"	FENDER W/ END STEPS	WHITE POLY	13-15"
			(45" OAL)				
PF1135-BKT	355330	N/A	N/A	N/A	BRACKET	GALV STEEL	FOR FENDER ABOVE


## Single Axle Jeep Style Fenders



PART NO.	REF. NO.	WIDTH	LENGTH	HEIGHT	RADIUS		MATERIAL	TIRE
					TYPE			
J8824	355825	8"	24"	8"	1/2" BOTH SIDES		16GA	8", 12"
J8824AT	355830	8"	24"	8"	1/2" BOTH SIDES		ALUM TRDPLT	8", 12"
J101733AT	356420	10"	33"	17"	1/2" BOTH SIDES		ALUM TRDPLT	13"-15"
J101936	356425	10"	36"	19.25"	1/2" BOTH SIDES		16GA	13"-15"
J10821	356460	10"	21"	8"	1/2" BOTH SIDES		16GA	10"

See Page H-6 for precut fender backs

### Tandem Straight, 1" Radius Fender



PART NO.	REF. NO.	WIDTH	LENGTH	HEIGHT	RADIUS		MATERIAL	TIRE
					TYPE			
FTS9X72-1R	356860	9"	72"	20.5"	1", 90° BACK		16GA	15, 16"
FTS9X72-1RWB	356880	9"	72"	20.5"	1", 90° BACK		16GA	FNDRBK INSTALLED
FTS9X72-1RTP	356900	9"	72"	20.5"	1", 90° BACK		14GA TRDPLT	15, 16"
FTS1075X72-1R	356940	10.75"	72"	20.5"	1", 90° BACK		16GA	15, 16"

### Tandem Teardrop, 1" Radius Fender



PART NO.	REF. NO.	WIDTH	LENGTH	HEIGHT	RADIUS		MATERIAL	TIRE
					TYPE			
FTD9X66-1R	357040	9"	66"	19.75"	1", 90° BACK		16GA	14, 15"
FTD9X72-1R	357060	9"	72"	20.5"	1", 90° BACK		16GA	15, 16"
FTD9X72-1RWB	357080	9"	72"	20.5"	1", 90° BACK		16GA	FNDRBK INSTALLED
FTD9X72-1RTP	357090	9"	72"	20.5"	1", 90° BACK		14GA TRDPLT	15, 16"
FTD9X72-1RA	357100	9"	72"	20.5"	1", 90° BACK		.090 ALUM	15, 16"
FTD1075X72-1R	357120	10.75"	72"	20.5"	1", 90° BACK		16GA	15, 16"
FTD1075X72-1RWB	357140	10.75"	72"	20.5"	1", 90° BACK		16GA	FNDRBK INSTALLED
FTD1075X72-1RTP	357150	10.75"	72"	20.5"	1", 90° BACK		14GA TRDPLT	15, 16"
FTD1075X72-1RA	357160	10.75"	72"	20.0"	1", 90° BACK		.090 ALUM	15, 16"
FTD13X72-1R	357175	13"	72"	20.5"	1", 90° BACK		16GA	15, 16"

BODY COMPONENTS & FLOORING


### Tandem Jeep Style Fender



PART NO.	REF. NO.	WIDTH	LENGTH	HEIGHT	RADIUS		MATERIAL	TIRE
					TYPE			
J101969	357625	10"	69"	19"	1/2" BOTH SIDES		16GA	13-15"
J101969AT	357635	10"	69"	19"	1/2" BOTH SIDES		ALUM TRDPLT	13-15"
J101972-TP	357645	10"	72"	19"	1/2" BOTH SIDES		14GA TRDPLT	15-16"

### Triple Axle Fender

PART NO.	REF. NO.	WIDTH	LENGTH	HEIGHT	RADIUS		MATERIAL	TYPE
					TYPE			
FTRD9X108-1R	358800	9"	108"	20.5"	1", 90° BACK		16GA	TEARDROP
FTRD1075X108-1R	359200	10.75"	108"	20.5"	1", 90° BACK		16GA	TEARDROP



See Page H-6 for precut fender backs

## Fender Backs

Fender Backs are available with or without pre-cut radius to fit inside fenders. Made of 16-18 GA material (.048"-.057" thick). 14 GA treadplate is also available for tandem fenders.



10FB-32R




12FB-32R



12FB-72R

PART NO.	REF. NO.	WIDTH	LENGTH	DESCRIPTION
10FB-32R	359500	10.5"	29.75"	PRE-CUT RADIUS, FITS #F9X32-1R FENDERS
12FB-32R	359505	12"	30"	PRE-CUT RADIUS, FITS #F9X32-1R FENDERS
12FB	359600	12"	69"	RECTANGULAR SHEET
12FB-72R	359650	12"	69"	PRE-CUT RADIUS, FITS FENDERS #FTS9X72-1R, FTD9X72-1R, FTS1075X72-1R, FTD1075X72-1R
12FB-72RTP	359675	12"	69"	PRE-CUT RADIUS, FITS FTS9X72-1RTP, FTD9X72-1RTP, FTD1075X72-1RTP
J101972-FB	359680	12"	69"	PRE-CUT RADIUS, FITS J01952-TP

## Van Trailer Ball Corners




Used for many applications in the enclosed trailer industry.

PART NO.	REF. NO.	DESCRIPTION
BC1755	347180	1 3/4" RADIUS X 5" RADIUS, 19GA BALL CORNER

## Van Trailer Roof Caps

Preformed Low Profile 5" radius Caps are available as an alternative to the above ball corners. Check with your local Redneck representative for additional sizes.



PART NO.	REF. NO.	GAUGE	HEIGHT	WIDTH	DEPTH	RADIUS
LPF572	346635	19	7"	72"	7"	1 3/4" X 5"

## Van Trailer Hat Bows


The "Hat" shape design allows for a wider flange to attach the roof and for additional structural strength.



PART NO.	REF. NO.	WIDTH	HEIGHT	RADIUS
HTB560	348360	60"	6"	5"
HTB584	348380	84"	6"	5"
HTB593	348390	93 1/4"	6"	5"

## Van Trailer Body Side Posts

Also formed in a "Hat" shape for additional strength, Side Posts are easy to use and save time in side skin installation.




PART NO.	REF. NO.	DESCRIPTION
P15-96	349710	1 1/2" DEEP, 3 1/4" WIDE, 96" LONG, "HAT" SHAPED BODY POST, 16GA

## Van Trailer Corner Posts

Available in your choice of 2 designs, legs turned in or legs turned out, to work with your frame design. Corner Posts are made of 12 gauge steel.


PART NO.	REF. NO.	DESCRIPTION
ICP96	349750	CORNER POST (INSIDE LEGS), 96" LONG
ICP120	349760	CORNER POST (INSIDE LEGS), 120" LONG
OCP96	349765	CORNER POST (OUTSIDE LEGS), 96" LONG



## Van Trailer Roof Cove

Roof Covs feature a 5" radius, are 6 1/2" tall, 6 1/2" wide and made of 12 gauge steel with a drip rail. Available in 120" or 144" lengths.


PART NO.	REF. NO.	DESCRIPTION
RC5120	349780	ROOF COVE, 5" RADIUS X 120" LONG
RC5144	349785	ROOF COVE, 5" RADIUS X 144" LONG



## Brush Fender Side

Brush Fender Side is made of 10 gauge steel and is 10 ft. in length.


PART NO.	REF. NO.	DESCRIPTION	HEIGHT	LENGTH	WIDTH
STSF110	350600	TRAILER SIDE / FENDER	20"	10'	12"



## Stock Trailer Side Panels

Available in 2 heights, 22" and 45", and lengths of 10' and 13', all are 16 gauge. Twenty-two inch Panels have 1 rib, 45" panels have two ribs as shown in diagram.



PART NO.	REF. NO.	HEIGHT	LENGTH	GAUGE
TSD1022	349800	22"	10'	16
TSD1322	350000	22"	13'	16
TSD1045	350200	45"	10'	16
TSD1345	350400	45"	13'	16




BODY COMPONENTS & FLOORING

## Metal Slats

PART NO.	REF. NO.	WIDTH	LENGTH	GAUGE
MS166	351800	6"	16'	16
MS205.5	352000	5 1/2"	20'	19
MS2065-16GA	352025	6 1/2"	20'	16




## Running Board



Made of 16 gauge steel, this 10' section allows you to cut your own length.

PART NO.	REF. NO.	DESCRIPTION
STRB10	350800	10 3/4" RUNNING BOARD FOR FENDER STYLE STOCK TRAILER


## Nose Bows



Nose Bows are available in 1/8" angle, (1 1/4" x 1 1/4"), or 16 gauge 1" square tubing.

PART NO.	REF. NO.	DESCRIPTION
ANB60	348000	60" ROLLED NOSE BOW, 1 1/4" ANGLE
TNB60	348100	60" ROLLED NOSE BOW, 1" SQUARE TUBING
ANB72	348200	72" ROLLED NOSE BOW, 1 1/4" ANGLE
TNB72	348210	72" ROLLED NOSE BOW, 1" SQUARE TUBING

## Stock Trailer Pipe Bow




This one-piece bow, made of 1 5/8" O.D. pipe, serves as roof bow and side post combined.

PART NO.	REF. NO.	DESCRIPTION
TPB67290	349690	PIPE BOW, 6" RADIUS, 72" WIDE (INSIDE), 90" TALL

## Top Bows

Top Bows are 16 gauge 1" square tubing.



PART NO.	REF. NO.	WIDTH	HEIGHT	RADIUS
TTB660	348400	60"	7"	6"
TTB672	348600	72"	7"	6"
TTB680	348650	80"	7"	6"
TTB684	348800	84"	7"	6"
TTB1260	349200	60"	14"	12"
TTB1272	349400	72"	14"	12"
TTB1280	349450	80"	14"	12"
TTB1284	349600	84"	14"	12"

## Ball Corners

Ball Corners are available in aluminum or steel.

PART NO.	REF. NO.	DESCRIPTION	MATERIAL
BC6	347200	6" RADIUS BALL CORNER CAP	19GA STEEL
BC6A	347250	6" RADIUS BALL CORNER CAP	.050 ALUM
BC8	347300	8" RADIUS BALL CORNER CAP	19GA STEEL
BC12	347400	12" RADIUS BALL CORNER CAP	19 GA STEEL
BC612	347600	6" X 12" RADIUS COMBINATION CORNER CAP	19GA STEEL
BC612A	347650	6" X 12" RADIUS COMBINATION CORNER CAP	.050 ALUM



## Roof Caps

- Available in Flat, Round, and Low-Profile Round Versions
- Formed in 6" Radius (Low Profile) or 12" Radius
- Std. Widths of 60" and 72", other sizes by special order

FLAT FRONT CAPS						
PART NO.	REF. NO.	GAUGE	HEIGHT	WIDTH	DEPTH	RADIUS
LPF672	347000	19	8"	72"	8"	6"

ROUND NOSE CAPS						
PART NO.	REF. NO.	GAUGE	WIDTH	HEIGHT	DEPTH	RADIUS
R1260	345200	19	60" (2 PC)	15"	37"	12"
R1272	345400	19	72" (2 PC)	15"	37"	12"




BODY  
COMPONENTS  
& FLOORING

## Gussets

Gussets provide an important part of the strength and design of every trailer. We have 3 sizes of Gooseneck Gussets available, with or without a lip. Fourteen gauge Rear Taillight Gussets serve two purposes:

1. To stabilize and strengthen the trailer sides
2. To serve as a mounting place for the taillights

PART NO.	REF. NO.	DESCRIPTION
1515G	359700	15" X 15" X 3/16" W/ 1" LIP
G1534L	359707	15" X 34" X 3/16" W/ 1" LIP, LH
G1534R	359712	15" X 34" X 3/16" W/ 1" LIP, RH
2424G	359715	24" X 24" X 1/4" W/O LIP
LHRG10	359720	10" X 46" W/ 1" LIP, LH W/ 4 1/2" DIA. LIGHT CUT-OUT
RHRG10	359725	10" X 46" W/ 1" LIP, RH W/ 4 1/2" DIA. LIGHT CUT-OUT



## Metal Trailer Doors



Save time and money by utilizing our pre-fabricated door! The ESD-5 is flat with reinforcing ribs and has a 2 3/4" x 3 3/4" hole cut-out for installing the junior size flush latch of your choice. Hinged on RH side.

PART NO.	REF. NO.	DESCRIPTION	GAUGE
ESD-5	353400	29 1/2" WIDE X 59" TALL	16

## Camper Doors



2460CD

Our Camper Doors are constructed of rugged fiberglass bonded firmly to a solid foam core with a 14" x 27" vertical sliding window for effective ventilation.

Each door has a heavy-duty reinforced full interior aluminum screen door with a latch attachment to allow the option for the screen door to open with the primary door. All doors open from the left with hinges on the right.

These Camper Doors have a weathertight seal, quiet operation and secure closing. All sizes are key locking with a flush mount latch. Measurements shown are rough opening sizes.

PART NO.	REF. NO.	CUT-OUT SIZE
2460CD	353600	24" X 60"
2468CD	354000	24" X 68"
3060CD	354400	30" X 60"
3066CD	354500	30" X 66"
3068CD	354600	30" X 68"
3668CD	355200	36" X 68"
CDLAT	355250	REPL. DOOR LATCH ASSEMBLY W/KEY

## Uvex Windows and Frames

Uvex is preferred by many trailer builders because it is impact/weather resistant and easy to form. It comes in an attractive smoke color, which shields the interior from the sun while allowing ample light and an open view of the outdoors. Use 1923-12 trim (pg H-14) as a frame for rectangular or rubber gasket (sold below), for installation of oval windows.

BODY COMPONENTS & FLOORING



Rectangular

RECTANGULAR				
PART NO.	REF. NO.	SIZE	DESCRIPTION	COLOR
815UVS	365000	8" X 15"	WINDOW	SMOKE
818UVS	365600	8" X 18"	WINDOW	SMOKE
920UVS	366200	9" X 20"	WINDOW	SMOKE



Oval

OVAL				
PART NO.	REF. NO.	SIZE	DESCRIPTION	COLOR
818UVSR	365620	8" X 18"	RADIUS WINDOW	SMOKE
920UVSR	366220	9" X 20"	RADIUS WINDOW	SMOKE
RG1816	366480	50' ROLL	RUBBER GASKET FOR 1/8" U-VEX WINDOWS, FITS 16GA METAL	BLACK

## Drop-Down Windows




Drop-Down Windows serve as "feed-door" and window combined! Top-latch handle opens from outside, hinged at bottom. "T-slider" style lower glass panel allows screened ventilation with window in upright-closed position. (Add 1/4" to window size for rough opening dimension.)

PART NO.	REF. NO.	DESCRIPTION
SG2024DD	371705	20" X 24", FITS LEFT OR RIGHT SIDE
SG2030DD	371715	20" X 30", FITS LEFT OR RIGHT SIDE
SG2430DD	371725	24" X 30", FITS LEFT OR RIGHT SIDE

## 90 Degree Radius Windows

90 Degree Radius Windows come standard with tempered safety glass, black frames and inside screens. They have an inside latch and outside pull handles, and are designed to fit either the left or right hand side. We have selected 7 popular sizes to fit your applications (add 1/4" to window size for rough opening dimension).

PART NO.	REF. NO.	DESCRIPTION
SG1218	368300	12" X 18", FITS LEFT OR RIGHT SIDE
SG1224	368417	12" X 24", FITS LEFT OR RIGHT SIDE
SG1236	368422	12" X 36", FITS LEFT OR RIGHT SIDE
SG1242	368440	12" X 42", FITS LEFT OR RIGHT SIDE
SG1248	368452	12" X 48", FITS LEFT OR RIGHT SIDE
SG1524	368470	15" X 24", FITS LEFT OR RIGHT SIDE
SG1842	368550	18" X 42", FITS LEFT OR RIGHT SIDE




Note: After window has been installed, remove all weep slot plugs from the bottom of the window. Not removing bottom weep slot plugs will result in leaking windows.

## Clamp Rings for 90 Degree Windows

Although most trailer windows are attached by rivets or screws, we also offer clamp rings for fast, neat installation. Choose clamp rings by wall thickness and window size. No. 8 x 1/2" screws (not included) are recommended for proper installation. Listed below are clamp rings for our 90 degree windows and 3/4" or 1 1/4" wall thickness. Others are available by special request.

PART NO.	REF. NO.	DESCRIPTION	FITS WINDOW No.	WALL THICKNESS
SG1218CR012	368315	90° CLAMP RING	SG1218	1 1/4"
SG1224CR006	368418	90° CLAMP RING	SG1224	3/4"
SG1224CR012	368419	90° CLAMP RING	SG1224	1 1/4"
SG1236CR012	368429	90° CLAMP RING	SG1236	1 1/4"
SG1524CR006	368472	90° CLAMP RING	SG1524	3/4"
SG1524CR012	368474	90° CLAMP RING	SG1524	1 1/4"
SG1842CR012	368554	90° CLAMP RING	SG1842	1 1/4"



## Air Conditioners

These RVP Mach 3 (two-speed rotary) Air Conditioners will add cooling comfort to Horse/Stock trailer dressing rooms, race car trailers, and portable offices. The 320CFM air flow will provide comfortable temperatures quickly and efficiently, even in the most searing heat wave. Requires a 14" x 14" roof opening for installation. Power Cord and Hatch sold separately.

- Proven performer in the RV industry
- 13,500 BTU or 14,800 BTU, 115 volt/60HZ
- 2-Speed fan w/temperature control
- Optional 5,600 BTUH Heat Strip



BODY COMPONENTS & FLOORING



PC3030



PCH656

A/C ASSEMBLIES		
PART NO.	REF. NO.	DESCRIPTION
RVP135	372750	13,500 BTU A/C UNIT W/2-SPD FAN, 115V, 60HZ
RVP135H	372752	13,500 BTU A/C UNIT W/2-SPD FAN, 115V,W/5600BTU HEATSTRIP
RVP150	372755	14,800 BTU A/C UNIT W/2-SPD FAN, 115V, 60HZ
RVP150H	372757	14,800 BTU A/C UNIT W/2-SPD FAN, 115V,W/5600BTU HEATSTRIP

A/C PARTS & ACCESSORIES		
PART NO.	REF. NO.	DESCRIPTION
RVP135CA	372760	CEILING ASSY (COOL ONLY) FOR A/C, "HEAT READY"
RVP-HKIT	372762	AC HEAT STRIP KIT, CONVERTS RVP135CA TO HEAT OPTION
TSR135UU	372778	UPPER UNIT FOR 13,500 BTU AIR CONDITIONERS
TSR150UU	372779	UPPER UNIT FOR 14,800 BTU AIR CONDITIONERS
PC3030	372787	A/C POWER CORD, 30 AMP, 30 FT. LONG
PCH656	372790	A/C POWER CORD HATCH W/LOCK, 6 1/2" X 6", (4 3/4" X 4 1/4" HOLE) WHITE

## Document Holder

Because this certificate holder is made of UV-resistant Dow Corning "CALIBRE" polycarbonate lens, it reduces the risk of this product shattering on impact, making it one of the most popular OEM document holders on the market. The translucent cover has a synthetic gasket, which protects the permit or license from the elements.



PART NO.	REF. NO.	DESCRIPTION
GT-1007	376941	TRAILER RND CERTIFICATE HOLDER W/REMOVABLE CAP

## Two-Speed Electric Fan

- Use in trucks, trailer dressing rooms and cargo areas.
- Built-in switch and ball swivel base
- High/Low speed operation for ventilating, circulating, etc.
- Includes pig-tail wires and mounting gaskets.
- Complete & ready to install.




PART NO.	REF. NO.	DESCRIPTION
175-14	372700	12 VOLT, 2-SPEED FAN W/ SWIVEL BASE

## Gravel Guard

### Aluminum Gravel Guard

Brushed Aluminum Gravel Guard with a diamond design is sold by the foot or in 250 ft. rolls.



PART NO.	REF. NO.	WIDTH
GG9	364200	9"
GG12	364400	12"
GG14	364600	14"
GG18	364800	18"

### Vinyl Gravel Guard

Used as an alternative to Aluminum, Black Adhesive-Backed Vinyl Gravel Guard is sold by the foot or in 150 ft. rolls.



PART NO.	REF. NO.	WIDTH
VGG9	364825	9"
VGG12	364850	12"
VGG18	364860	18"

## Safety Tread



SHUR-STEP® Non-Skid Safety Tread is engineered to stabilize and eliminate dangerous, slippery areas virtually anywhere. Made of a durable backing material coated with high-tack, high-shear adhesive and a layer of wear-resistant abrasive mineral grains, SHUR-STEP® can easily be cut with scissors for a quick, effective installation, on most smooth surfaces.



PART NO.	REF. NO.	DESCRIPTION
SS-200	364810	NON-SKID SAFETY TREAD, 2" X 60 FT. ROLL
SS-400	364815	NON-SKID SAFETY TREAD, 4" X 60 FT. ROLL

## Molded Trailer Vents



- UV Resistant Polypropylene Material
- Low-Cost Accessories Enhance Any Trailer
- Two-Piece Vents Offer Positive Ventilation
- Sidewall Vent Design For Installation Flexibility
- Vents Available in Black or White
- Limited Tools Required, Install In Minutes
- Half-moon vent measures 6" x 8" x 1 1/4" tall
- Vent tube fits 3" hole, 2.95" O.D. x 1.5" long, 4.15" flg.

PART NO.	REF. NO.	DESCRIPTION
HMAV2	371850	HALF-MOON AIR VENT, BLACK (EXTERIOR)
WHMAV2	371875	HALF-MOON AIR VENT, WHITE (EXTERIOR)
AVT2	371880	AIR VENT TUBE, BLACK (INTERIOR)
WAVT2	371885	AIR VENT TUBE, WHITE (INTERIOR)

## Butterfly Ventilator

A full 7 1/2" in diameter, the Polished Aluminum Ventilator is an attractive and useful source of ventilation. For horse, stock, dog or various other types of trailers.

PART NO.	REF. NO.	DESCRIPTION
775	371800	ROUND POLISHED ALUMINUM VENT, 7 1/2" DIA.



## Sloped Ventilator

Two-piece Ventilator comes with roof mount sloped roof vent, gasket & interior butterfly vent.

PART NO.	REF. NO.	DESCRIPTION
9139	372400	SLOPED METAL ROOF VENT, 10" X 12", W/VENT & GASKET



## Dome Ventilators

Dome Crank-out Vents with screen and inside trim can double as a vent and a skylight. Available with a variety of options. All vents come with inner trim garnish.

VENT ASSEMBLIES (VENT W/GARNISH)		
PART NO.	REF. NO.	DESCRIPTION
M1659	372600	14" X 14" DOME VENT W/WHITE ACRYLIC TOP
M1659-12V	372610	14" X 14" DOME VENT W/WHITE ACRYLIC TOP & 12 VOLT FAN
M1660	372625	14" X 14" DOME VENT W/GALV METAL TOP

REPLACEMENT VENT COMPONENTS		
PART NO.	REF. NO.	DESCRIPTION
M1659VEN	372605	14x14 VENT ONLY, WHITE TOP, CRANK OUT W/SCREEN
M1659VEN-12V	372615	14x14 VENT ONLY W/12VFAN WHT TOP CRANKOUT W/SCREEN
M1660VEN	372627	14x14 VENT ONLY, MTL TOP CRANK OUT W/SCREEN
M1600-GARN	372629	14x14 TRIM GARNISH FOR M1600 VENTS, 7/8"-2" ROOF
V554	372630	REP'L 14" X 14" WHITE ACRYLIC TOP FOR M1659, M1659-12V



## Pop-up Ventilators

Offers simple lever operation, a wide flange for installation and a large opening for maximum air flow. The screen prevents objects from entering trailer. Inner Trim Garnish Available.

PART NO.	REF. NO.	DESCRIPTION
9106	372000	TWO-WAY POP-UP VENTILATOR W/SCREEN, 8" X 12" & MTNG GASKET
9106AL	372020	TWO-WAY ALUMINUM POP-UP VENTILATOR W/SCREEN, 8" X 12" & MTNG GASKET
9106VEN	372010	VENT ONLY, 8x12 DBL POP- UP
9106ALVEN	372030	VENT ONLY, 8x12 ALUM DBL POP-UP
2756	372100	INNER TRIM GARNISH FOR 9106, 9106AL BLACK PLASTIC, 2 1/4" TALL (CAN EASILY BE CUT TO FIT PROPER DEPTH OF CEILING)
9106GKT	372040	REPL. GASKET FOR 9106 SERIES VENTS



2756 trim garnish shown installed with 9106 ventilator

BODY COMPONENTS & FLOORING

## Weather Strip Tape

Easy to cut and apply, this Weather Strip Tape has a self-adhesive back and is compatible with all types of Silicone Sealants. It will withstand a high level of movement and will conform to irregular surfaces. It resists cracking, is durable and long-lasting.

PART NO.	REF. NO.	SIZE	FT. PER ROLL
WS1838	390400	1/8" X 3/8" WIDE	100 FT
WS1812	390600	1/8" X 1/2" WIDE	100 FT
WS1834	390800	1/8" X 3/4" WIDE	100 FT
WS1412	391000	1/4" X 1/2" WIDE	45 FT
WS1434	391200	1/4" X 3/4" WIDE	45 FT



WS1838

## Chrome Edge Trim



This flexible plastic molding has a permanent chrome finish, and is easy to cut and install. It fits up to 1/8" thick material, and has a pressure-sensitive adhesive in the interior channel to insure a permanent installation.

PART NO.	REF. NO.	DESCRIPTION
SAT102ET	364050	CHROME EDGE TRIM, FITS UP TO 1/8" WIDE MATERIAL, 50' ROLL

## Self Adhesive Trim



SAT137CWE

- Flexible, Faster Installation
- Labor Saving, Self Adhesive Tape
- UV Resistant, Water Spot Resistant
- Cost effective rolls; cut & use as needed



SAT100C

PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH
SAT100C	364065	FLAT, CHROME	1"	100' ROLL
SAT125C	364070	FLAT, CHROME	1.25"	100' ROLL
SAT137CBK	364075	CHROME W/COLOR INSET, BLACK	1.379"	100' ROLL
SAT137CWE	364080	CHROME W/COLOR INSET, WHITE	1.379"	100' ROLL


## "V" Trim



Aluminum V Trim is used throughout the horse and stock trailer industry to give that "extra" touch to the front of the trailer. It can be easily worked to create special effects.

PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH
49VS-12	361000	"V" CHROME TRIM	1 1/8"	12'

## Lipped Trim




Available in 1", 1 1/4" or 1 5/8" width, Lipped Trim is designed to be used as a decorative trim to cover the unfinished edges of a lapped joint.

PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH
1923-12	362200	ALUMINUM TRIM	1"	12'
1924-12	362400	ALUMINUM TRIM	1 1/4"	12'
2625-12	362800	ALUMINUM TRIM	1 5/8"	12'

## Flat Trim

Used as a seam covering, this Flat Trim is 3/4" wide and 12' in length.

PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH
213-12	362000	FLAT ALUMINUM TRIM	3/4"	12'



## Drip Rail Trim

Drip Rail Trim is used over openings and doors to channel water away from the opening. It is available in 3/4" or 1 1/4" widths.


PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH
688-12	361200	DRIP RAIL, ALUMINUM	3/4"	12'
788-12	361400	DRIP RAIL, ALUMINUM	1 1/4"	12'



## Insert Trim

Insert Trim is used in many different ways to color coordinate trailers. It can also be used to cover lapped joints and flat seams. Used with any color of vinyl insert, this trim adds a nice touch to any trailer.


PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH
1904-12	361600	UNEVEN LIP, ALUMINUM	1 3/16"	12'
2605-12	361800	EVEN LIP, ALUMINUM	1 1/4"	12'



## Vinyl Insert

Use this Vinyl Insert with 1904, 2605 trim. Sold by the roll (1,000') or by the foot.


PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH
CT8BK	363200	BLACK VINYL INSERT	1"	CUT TO LENGTH
CT8SL	363700	SILVER/ALUMINUM VINYL INSERT	1"	CUT TO LENGTH
CT8WE	363800	WHITE VINYL INSERT	1"	CUT TO LENGTH



## Trim End Cap

Used to finish the end of 2605 or 1904 Series Insert Trim, this Aluminum Cap protects the trim and insert from damage.

PART NO.	REF. NO.	DESCRIPTION
E2605CE	364000	END CAP FOR 1904, 2605 INSERT TRIM



## Rubber Trailer Mats



SUREHOOF<sup>®</sup> rubber trailer mats are made to protect your trailer and horse (or livestock). They are typically used on the trailer floor and on ramps. These mats will not curl or bunch up, will provide better drainage and easier cleaning, and are factory cut to fit most trailers. There is an exact science to making a great trailer mat. Every SUREHOOF<sup>®</sup> trailer mat is engineered to provide superior performance in tear resistance, cushioning, long-term durability and is backed with a Limited Lifetime Warranty from the manufacturer.



Ribbed Mat




Checkerplate Mat

PART NO.	REF. NO.	THICKNESS	TYPE MAT	DIMENSIONS	PKGD.
3622RM	375395	5/16"	RIBBED	36" X 22'	ROLL
4872SMF	376835	1/2"	SMOOTH	48" X 72"	SHEET
4884SMF	376840	1/2"	SMOOTH	48" X 84"	SHEET
6084SMF	376845	1/2"	SMOOTH	60" X 84"	SHEET
3484SM	376805	1/2"	GROOVED	34" X 84"	SHEET
3684SM	376810	1/2"	GROOVED	36" X 84"	SHEET
4872SM	376815	1/2"	RIBBED	48" X 72"	SHEET
6084SM	376820	1/2"	RIBBED	60" X 84"	SHEET
4872CPM	376879	1/2"	CHECKERPLATE	48" X 72"	SHEET
6084CPM	376889	1/2"	CHECKERPLATE	60" X 84"	SHEET



Smooth Mat



Grooved Mat



## Heavy Duty Rubber Trailer/Stall Mats

### Red Barn

Red Barn rubber mats are the heaviest and thickest mats that we offer. They are ideal for use as a stall mat or trailer mat when your trailer floor needs extra support. When used as a stall mat, expect a maintenance free stall floor, with easy clean-up and less bedding required. Red Barn rubber mats are a must on concrete and asphalt floors. The mat insulates your resting animal from cold and dampness, provides sure footing when wet or dry, and cushions the animal's feet and legs. The manufacturer provides a limited warranty for 15 years.

PART NO.	REF. NO.	THICKNESS	TYPE MAT	DIMENSIONS	PKGD.
4872SM78	376855	3/4"	SMOOTH	48" X 72"	SHEET
6084SM78	376875	3/4"	SMOOTH	60" X 84"	SHEET



## Trailer Cushioning Mat

Soft-Step™ Cushioning Mat is made from polyethylene foam. The purpose of this product is to reduce leg and joint stress of your horse by putting Soft-Step™ under the existing rubber mat. Testing has shown an improvement in shock absorption of up to 33%. The manufacturer recommends using a minimum 1/2" rubber mat on top of Soft-Step™ for optimal performance. Additional features of Soft-Step™ are:

- Lightweight (4'x7' sheet is about 4 pounds)
- Moisture resistant (foam is closed cell)
- Anti-microbial (resists mold & rot)
- Thermal insulation and road noise reduction (1" thick, medium density foam)

 **Sealed Air**



PART NO.	REF. NO.	DESCRIPTION
TMS48X7	376897	SOFT-STEP TRLR MAT, 1" X 48" X 7' SHEET

## Horse Trailer Pads

Horse Trailer Pads are used to provide maximum protection and comfort for the horse. The Pads are 9" wide, made with a protective fiber backing, filled with 2" foam and covered with durable black vinyl. Individual Pads available in 4 sizes.

PART NO.	REF. NO.	COLOR	PIECES/ SET	BREAST PAD	SIDE PAD	ESCAPE DOOR PAD
HTP24BK	374000	BLACK	1	ONE 24"	-	-
HTP40BK	374400	BLACK	1	-	ONE 40"	-
HTP60BK	374800	BLACK	1	-	ONE 60"	-
HTP12BK	373600	BLACK	1	-	-	ONE 12"
PS-8	375200	#8 X 3/4" PADDING SCREW W/FINISHING WASHER				



## Pre-Drilled Rubber Bumpers

Initially designed to mount on the rear of horse trailers to prevent damage to trailer and cargo, the Pre-Drilled Rubber Bumpers have quickly risen in popularity with builders of all types of trailers. We also supply the mounting bars for each bumper size.



2000-96

PART NO.	REF. NO.	DESCRIPTION	WIDTH	A	B	C	D	NO. OF HOLES	BOLT SIZE	
D2-96	386100	ROUND BUMPER	2"	96"	5/8"	2"	11 1/2"	8	3/8"	
D3-96	386125	ROUND BUMPER	3"	96"	1 1/4"	4"	11"	8	9/16"	
D4-96	386150	ROUND BUMPER	4"	96"	1 1/4"	4"	11"	8	5/8"	
SD2-96	386160	SQUARE BUMPER	2"	96"	5/8"	2"	11 1/2"	8	3/8"	
SD3-96	386165	SQUARE BUMPER	3"	96"	1 1/8"	4"	11"	8	9/16"	
SD4-96	386170	SQUARE BUMPER	4"	96"	1 1/4"	4"	11"	8	5/8"	
SB2-96	386175	3/16" X 1" X 96" DRILLED SUPPORT BAR FOR D2-96								
SB34-96	386190	3/16" X 1 1/2" X 96" DRILLED SUPPORT BAR FOR D3-96, D4-96								
2000-96	386195	RUMBER® BUMPER	3"	96"	1 1/4"	4"	11"	8	9/16"	



Round Style



Square Style

### What to know when ordering a custom bumper

Square or Round      Size: 2" 3" 4"      Length (A)      Hole Size (B)  
 Distance from end of bumper to 1st hole on each end (C)  
 Distance between holes (D)      Number of holes



## Water Caddy

Made from FDA approved plastic, this 25 gallon water caddy will provide safe drinking water for your horse or other livestock, when travelling. The slim, triangular design allows the caddy to fit neatly in the corner of the trailer, where it can be secured with the strap and lag bolt that are included. The caddy is equipped with a fill cap, pressure vent, threaded ball valve, and clear vertical strip to see the water level. A stand is sold separately, which permits better access to the ball valve.



SL-25

PART NO.	REF. NO.	DESCRIPTION
SL-25	376957	WATER CADDY, 25 GAL CORNER, 14.5" 3-SIDED, 56" HIGH
SL-25STAND	376958	STAND FOR SL-25 WATER CADDY, 11.5" HIGH



SL-25STAND  
(sold separately)

SL-25



SL-25STAND  
(sold separately)

## Window Nets

A window net will keep your animal's head from peeking out of the trailer, which could prevent possible head trauma and eye damage from bugs, debris, or other road obstacles. The net is made from a poly coated nylon cord, which allows air to pass through, but is tear-resistant and resistant to mold when exposed to moisture or high humidity. A brass grommet at each corner makes installation easier. Each kit comes with a window net, four double end snaps (#162S), and four D-rings (#DR14-15). Window nets are individually bagged (mounting screws are not provided). Four convenient sizes fit most of the trailer windows in the horse trailer industry.



PART NO.	REF. NO.	DESCRIPTION
WN2727	373000	WINDOW NET 27"X27"
WN2727KIT	373002	WINDOW NET 27"X27" W/4 EA DBL END SNAPS & D-RINGS
WN2025	373005	WINDOW NET 20"X25"
WN2025KIT	373008	WINDOW NET 20"X25" W/4EA DBL END SNAPS & D-RINGS
WN2835	373011	WINDOW NET 28"X35"
WN2835KIT	373014	WINDOW NET 28"X35" W/4EA DBL END SNAPS & D-RINGS
WN2536	373017	WINDOW NET 25"X36"
WN2536KIT	373020	WINDOW NET 25"X36" W/4EA DBL END SNAPS & D-RINGS

## Mud Flaps

These sturdy Mud Flaps are constructed of fiber-reinforced rubber and are designed to protect your trailer from road dirt and stones. The 24" x 30" flap is chevron style (not pictured).



PART NO.	REF. NO.	WIDTH	LENGTH	THICKNESS
1924MF-HD	376700	19"	24"	1/4"
2430MF	376800	24"	30"	1/4"

## Rumber® Trailer Flooring

### The Smart Alternative for all Your Flooring Needs!

This composite flooring is equivalent to a standard 2" x 8" tongue and groove board (1 1/2" x 7" actual size). Made from 100% recycled tires and plastic, which provides a cushioned surface for trailer floors, serving as flooring and rubber mat combined! The pre-scuffed "Traction Board" surface ensures footing. With a 20 year "Wear-Out" warranty\*\* and a lifetime guarantee on workmanship and materials, this durable flooring is made to last! Rumber can be easily cut and drilled using common power tools, and emits no hazardous dust. It is also easy to clean and highly rot resistant.



PART NO.	REF. NO.	DESCRIPTION	ACTUAL DIM.	LENGTH
9102-6	386775	2" X 8", COMP	1 1/2" X 7"	6 FT
9102-7	386780	2" X 8", COMP	1 1/2" X 7"	7 FT
9102-16	386785	2" X 8", COMP	1 1/2" X 7"	16 FT
9102-20	386790	2" X 8", COMP	1 1/2" X 7"	20 FT
9102-24	386795	2" X 8", COMP	1 1/2" X 7"	24 FT

\*\* 20 yr. warranty in Livestock/Implement/Utility and 5 yr. warranty in Heavy Equipment



BODY COMPONENTS & FLOORING


*Installation Outside These Guidelines Will Void Warranty*

RUMBER™ INSTALLATION GUIDELINES*				
TRAILER TYPE	MAX. SUPP. SPACING	SCREW SIZE	MAX. SCREW SPACING	MIN. RECOMMENDED SUPPORT SIZE
LIVESTOCK	15"	1/4"	30"	2 X 1/4" ANGLE IRON
IMPLEMENT				
UTILITY	12"	5/16"	18"	2 X 3/8" ANGLE IRON
HEAVY EQUIPMENT	9"	5/16"	18"	3 X 3/8" ANGLE IRON

\* Be certain tongue & groove are tightly meshed before drilling. Two screws minimum per cross member.

**Other Styles of Rumber Boards Available**

Various lengths of Rumber, smooth sided Rumber (without tongue and groove) or Rumber without the "Traction Board" surface are also available in 2" x 4", 2" x 6" and 2" x 8" dimensions. Call your branch for more details.



## Rumber® Molded Trailer Accessories



Manufactured from patented Rumber®, a composite of recycled tire rubber and plastics. Fracture and shatter resistant from -40° F to over 100° F. Will not corrode and will not rot.



2002MBT



4461-8



9901-0

PART NO.	REF. NO.	DESCRIPTION
9901-0	376950	RUMBER SADDLE RACK, BLACK
2002LBT	376956	RUMBER BRUSH TRAY, LARGE, 6" X 7" X 27 1/4"
2002MBT	376954	RUMBER BRUSH TRAY, MEDIUM, 6" X 7" X 17"
4461-8	376952	RUMBER BRIDLE HOOK (8), 4" X 29 1/4"

## Trailer Wall Liner

We offer a wide range of Trailer Wall Liner designed for horse trailers, or other custom trailer applications. Choose the style and size that meets your application requirements. Our roll wall liner can be easily cut with a common utility knife and fastened to the wall with #WLS100 screws. Seal the edges with black sealant, #2300B. Always follow the manufacturer's installation recommendations.

- Dodge Made from recycled tire rubber.
- Rumber Made from 5% recycled rubber and 95% recycled plastic. Designed for trailers with no interior walls. Stiff enough to act as a wall. Can be installed with rivets.
- TirePlast Made from 50% recycled tire rubber and 50% recycled plastic. Comes with Pressure Sensitive Adhesive backing; no adhesive needed. Reduce time to install and use less wall liner screws. Attractive "levant" surface.
- Gator-Hide Made from 100% rubber with fiber reinforcement. Compatible with most contact adhesives on the market. Minimal expansion and contraction in cold/hot weather. Attractive "leather" surface.

BODY  
COMPONENTS  
& FLOORING



PART NO.	REF. NO.	STYLE	SIZE	TYPE
30408MM	375300	DODGE	8MM X 30" X 40'	ROLL
36408MM	375325	DODGE	8MM X 36" X 40'	ROLL
48408MM	375375	DODGE	8MM X 48" X 40'	ROLL
9701-200T	376930	RUMBER	.2" X 48" X 96"	SHEET
T60-2003650PSA	376920	TIREPLAST	.2" X 36" X 50'	ROLL
WL4875	376935	GATOR-HIDE	3/16" X 48" X 75'	ROLL
WLS100	376939	SCREW #10 BLACK 1" LONG SELF-DRILL		
2300B	389993	SEALANT BLACK TRIPOLYMER 10.3 OZ TUBE		