

Rubber Trailer Mats



SUREHOOF[®] rubber trailer mats are made to protect your trailer and horse (or livestock). They are typically used on the trailer floor and on ramps. These mats will not curl or bunch up, will provide better drainage and easier cleaning, and are factory cut to fit most trailers. There is an exact science to making a great trailer mat. Every SUREHOOF[®] trailer mat is engineered to provide superior performance in tear resistance, cushioning, long-term durability and is backed with a Limited Lifetime Warranty from the manufacturer.



Ribbed Mat




Checkerplate Mat

PART NO.	REF. NO.	THICKNESS	TYPE MAT	DIMENSIONS	PKGD.
3622RM	375395	5/16"	RIBBED	36" X 22'	ROLL
4872SMF	376835	1/2"	SMOOTH	48" X 72"	SHEET
4884SMF	376840	1/2"	SMOOTH	48" X 84"	SHEET
6084SMF	376845	1/2"	SMOOTH	60" X 84"	SHEET
3484SM	376805	1/2"	GROOVED	34" X 84"	SHEET
3684SM	376810	1/2"	GROOVED	36" X 84"	SHEET
4872SM	376815	1/2"	RIBBED	48" X 72"	SHEET
6084SM	376820	1/2"	RIBBED	60" X 84"	SHEET
4872CPM	376879	1/2"	CHECKERPLATE	48" X 72"	SHEET
6084CPM	376889	1/2"	CHECKERPLATE	60" X 84"	SHEET



Smooth Mat



Grooved Mat



Heavy Duty Rubber Trailer/Stall Mats

Red Barn

Red Barn rubber mats are the heaviest and thickest mats that we offer. They are ideal for use as a stall mat or trailer mat when your trailer floor needs extra support. When used as a stall mat, expect a maintenance free stall floor, with easy clean-up and less bedding required. Red Barn rubber mats are a must on concrete and asphalt floors. The mat insulates your resting animal from cold and dampness, provides sure footing when wet or dry, and cushions the animal's feet and legs. The manufacturer provides a limited warranty for 15 years.

PART NO.	REF. NO.	THICKNESS	TYPE MAT	DIMENSIONS	PKGD.
4872SM78	376855	3/4"	SMOOTH	48" X 72"	SHEET
6084SM78	376875	3/4"	SMOOTH	60" X 84"	SHEET



Trailer Cushioning Mat

Soft-Step™ Cushioning Mat is made from polyethylene foam. The purpose of this product is to reduce leg and joint stress of your horse by putting Soft-Step™ under the existing rubber mat. Testing has shown an improvement in shock absorption of up to 33%. The manufacturer recommends using a minimum 1/2" rubber mat on top of Soft-Step™ for optimal performance. Additional features of Soft-Step™ are:

- Lightweight (4'x7' sheet is about 4 pounds)
- Moisture resistant (foam is closed cell)
- Anti-microbial (resists mold & rot)
- Thermal insulation and road noise reduction (1" thick, medium density foam)

 **Sealed Air**



PART NO.	REF. NO.	DESCRIPTION
TMS48X7	376897	SOFT-STEP TRLR MAT, 1" X 48" X 7' SHEET

Horse Trailer Pads

Horse Trailer Pads are used to provide maximum protection and comfort for the horse. The Pads are 9" wide, made with a protective fiber backing, filled with 2" foam and covered with durable black vinyl. Individual Pads available in 4 sizes.

PART NO.	REF. NO.	COLOR	PIECES/ SET	BREAST PAD	SIDE PAD	ESCAPE DOOR PAD
HTP24BK	374000	BLACK	1	ONE 24"	-	-
HTP40BK	374400	BLACK	1	-	ONE 40"	-
HTP60BK	374800	BLACK	1	-	ONE 60"	-
HTP12BK	373600	BLACK	1	-	-	ONE 12"
PS-8	375200	#8 X 3/4" PADDING SCREW W/FINISHING WASHER				



Pre-Drilled Rubber Bumpers

Initially designed to mount on the rear of horse trailers to prevent damage to trailer and cargo, the Pre-Drilled Rubber Bumpers have quickly risen in popularity with builders of all types of trailers. We also supply the mounting bars for each bumper size.



2000-96

PART NO.	REF. NO.	DESCRIPTION	WIDTH	A	B	C	D	NO. OF HOLES	BOLT SIZE	
D2-96	386100	ROUND BUMPER	2"	96"	5/8"	2"	11 1/2"	8	3/8"	
D3-96	386125	ROUND BUMPER	3"	96"	1 1/4"	4"	11"	8	9/16"	
D4-96	386150	ROUND BUMPER	4"	96"	1 1/4"	4"	11"	8	5/8"	
SD2-96	386160	SQUARE BUMPER	2"	96"	5/8"	2"	11 1/2"	8	3/8"	
SD3-96	386165	SQUARE BUMPER	3"	96"	1 1/8"	4"	11"	8	9/16"	
SD4-96	386170	SQUARE BUMPER	4"	96"	1 1/4"	4"	11"	8	5/8"	
SB2-96	386175	3/16" X 1" X 96" DRILLED SUPPORT BAR FOR D2-96								
SB34-96	386190	3/16" X 1 1/2" X 96" DRILLED SUPPORT BAR FOR D3-96, D4-96								
2000-96	386195	RUMBER® BUMPER	3"	96"	1 1/4"	4"	11"	8	9/16"	



Round Style



Square Style

What to know when ordering a custom bumper

Square or Round Size: 2" 3" 4" Length (A) Hole Size (B)
 Distance from end of bumper to 1st hole on each end (C)
 Distance between holes (D) Number of holes



Water Caddy

Made from FDA approved plastic, this 25 gallon water caddy will provide safe drinking water for your horse or other livestock, when travelling. The slim, triangular design allows the caddy to fit neatly in the corner of the trailer, where it can be secured with the strap and lag bolt that are included. The caddy is equipped with a fill cap, pressure vent, threaded ball valve, and clear vertical strip to see the water level. A stand is sold separately, which permits better access to the ball valve.



SL-25

PART NO.	REF. NO.	DESCRIPTION
SL-25	376957	WATER CADDY, 25 GAL CORNER, 14.5" 3-SIDED, 56" HIGH
SL-25STAND	376958	STAND FOR SL-25 WATER CADDY, 11.5" HIGH



SL-25STAND
(sold separately)

SL-25

SL-25STAND
(sold separately)



Window Nets

BODY COMPONENTS & FLOORING



A window net will keep your animal's head from peeking out of the trailer, which could prevent possible head trauma and eye damage from bugs, debris, or other road obstacles. The net is made from a poly coated nylon cord, which allows air to pass through, but is tear-resistant and resistant to mold when exposed to moisture or high humidity. A brass grommet at each corner makes installation easier. Each kit comes with a window net, four double end snaps (#162S), and four D-rings (#DR14-15). Window nets are individually bagged (mounting screws are not provided). Four convenient sizes fit most of the trailer windows in the horse trailer industry.



PART NO.	REF. NO.	DESCRIPTION
WN2727	373000	WINDOW NET 27"X27"
WN2727KIT	373002	WINDOW NET 27"X27" W/4 EA DBL END SNAPS & D-RINGS
WN2025	373005	WINDOW NET 20"X25"
WN2025KIT	373008	WINDOW NET 20"X25" W/4EA DBL END SNAPS & D-RINGS
WN2835	373011	WINDOW NET 28"X35"
WN2835KIT	373014	WINDOW NET 28"X35" W/4EA DBL END SNAPS & D-RINGS
WN2536	373017	WINDOW NET 25"X36"
WN2536KIT	373020	WINDOW NET 25"X36" W/4EA DBL END SNAPS & D-RINGS

Mud Flaps



These sturdy Mud Flaps are constructed of fiber-reinforced rubber and are designed to protect your trailer from road dirt and stones. The 24" x 30" flap is chevron style (not pictured).

PART NO.	REF. NO.	WIDTH	LENGTH	THICKNESS
1924MF-HD	376700	19"	24"	1/4"
2430MF	376800	24"	30"	1/4"

Rumber® Trailer Flooring

The Smart Alternative for all Your Flooring Needs!

This composite flooring is equivalent to a standard 2" x 8" tongue and groove board (1 1/2" x 7" actual size). Made from 100% recycled tires and plastic, which provides a cushioned surface for trailer floors, serving as flooring and rubber mat combined! The pre-scuffed "Traction Board" surface ensures footing. With a 20 year "Wear-Out" warranty** and a lifetime guarantee on workmanship and materials, this durable flooring is made to last! Rumber can be easily cut and drilled using common power tools, and emits no hazardous dust. It is also easy to clean and highly rot resistant.



PART NO.	REF. NO.	DESCRIPTION	ACTUAL DIM.	LENGTH
9102-6	386775	2" X 8", COMP	1 1/2" X 7"	6 FT
9102-7	386780	2" X 8", COMP	1 1/2" X 7"	7 FT
9102-16	386785	2" X 8", COMP	1 1/2" X 7"	16 FT
9102-20	386790	2" X 8", COMP	1 1/2" X 7"	20 FT
9102-24	386795	2" X 8", COMP	1 1/2" X 7"	24 FT

** 20 yr. warranty in Livestock/Implement/Utility and 5 yr. warranty in Heavy Equipment



BODY COMPONENTS & FLOORING


Installation Outside These Guidelines Will Void Warranty

RUMBER™ INSTALLATION GUIDELINES*				
TRAILER TYPE	MAX. SUPP. SPACING	SCREW SIZE	MAX. SCREW SPACING	MIN. RECOMMENDED SUPPORT SIZE
LIVESTOCK	15"	1/4"	30"	2 X 1/4" ANGLE IRON
IMPLEMENT				
UTILITY	12"	5/16"	18"	2 X 3/8" ANGLE IRON
HEAVY EQUIPMENT	9"	5/16"	18"	3 X 3/8" ANGLE IRON

* Be certain tongue & groove are tightly meshed before drilling. Two screws minimum per cross member.

Other Styles of Rumber Boards Available

Various lengths of Rumber, smooth sided Rumber (without tongue and groove) or Rumber without the "Traction Board" surface are also available in 2" x 4", 2" x 6" and 2" x 8" dimensions. Call your branch for more details.



Rumber® Molded Trailer Accessories



Manufactured from patented Rumber®, a composite of recycled tire rubber and plastics. Fracture and shatter resistant from -40° F to over 100° F. Will not corrode and will not rot.



2002MBT



4461-8



9901-0

PART NO.	REF. NO.	DESCRIPTION
9901-0	376950	RUMBER SADDLE RACK, BLACK
2002LBT	376956	RUMBER BRUSH TRAY, LARGE, 6" X 7" X 27 1/4"
2002MBT	376954	RUMBER BRUSH TRAY, MEDIUM, 6" X 7" X 17"
4461-8	376952	RUMBER BRIDLE HOOK (8), 4" X 29 1/4"

Trailer Wall Liner

We offer a wide range of Trailer Wall Liner designed for horse trailers, or other custom trailer applications. Choose the style and size that meets your application requirements. Our roll wall liner can be easily cut with a common utility knife and fastened to the wall with #WLS100 screws. Seal the edges with black sealant, #2300B. Always follow the manufacturer's installation recommendations.

- Dodge Made from recycled tire rubber.
- Rumber Made from 5% recycled rubber and 95% recycled plastic. Designed for trailers with no interior walls. Stiff enough to act as a wall. Can be installed with rivets.
- TirePlast Made from 50% recycled tire rubber and 50% recycled plastic. Comes with Pressure Sensitive Adhesive backing; no adhesive needed. Reduce time to install and use less wall liner screws. Attractive "levant" surface.
- Gator-Hide Made from 100% rubber with fiber reinforcement. Compatible with most contact adhesives on the market. Minimal expansion and contraction in cold/hot weather. Attractive "leather" surface.

BODY
COMPONENTS
& FLOORING



PART NO.	REF. NO.	STYLE	SIZE	TYPE
30408MM	375300	DODGE	8MM X 30" X 40'	ROLL
36408MM	375325	DODGE	8MM X 36" X 40'	ROLL
48408MM	375375	DODGE	8MM X 48" X 40'	ROLL
9701-200T	376930	RUMBER	.2" X 48" X 96"	SHEET
T60-2003650PSA	376920	TIREPLAST	.2" X 36" X 50'	ROLL
WL4875	376935	GATOR-HIDE	3/16" X 48" X 75'	ROLL
WLS100	376939	SCREW #10 BLACK 1" LONG SELF-DRILL		
2300B	389993	SEALANT BLACK TRIPOLYMER 10.3 OZ TUBE		