

# **PETERSON**

## LED Clearance/Marker Lights

This sealed 2-diode LED light functions as a clearance or side marker light. Operates from 9-16 volts. Hard-wired design eliminates lamp-plug failure point. Mounts on 3" centers. Available in amber or red.

PART NO.	REF. NO.	DESCRIPTION
169R	421506	LIGHT LED THIN-LINE CLR/MARKER RED HARD-WIRED
B169-18	421507	BASE BLACK FOR 169 LED LIGHT
169A	421509	LIGHT LED THIN-LINE CLR/MARKER AMBER HARD-WIRED
M171A	421565	LED AMBER CLR/MRKR DOT W/GROMMET, 1 DIODE 3/4"
M171R	421566	LED RED CLR/MRKR DOT W/GROMMET, 1 DIODE 3/4"



## LED 2-Diode Clearance/Marker Lights

This sealed 2-diode LED light functions as clearance or side marker light. Operates from 9-16 volts. Hard-wired with separate lead and ground wires for mounting to all surfaces. Mounts on 1 15/16" centers. 100,000-hour rated life. Available in amber or red.

PART NO.	REF. NO.	DESCRIPTION
168R	421530	LIGHT LED 2-DIODE CLR/MARKER RED HARD-WIRED
168A	421532	LIGHT LED 2-DIODE CLR/MARKER AMBER HARD-WIRED
B168-18	421535	BASE, BLACK, FOR 168 LED LIGHT
B168-10	421537	BRACKET, CHROME, FOR 168 LED LIGHT



## 2" Round LED Clearance/Marker Lights

This round, 2" sealed LED light functions as clearance, side marker, or identification light. Features sealed lens and housing. Operates from 9-16 volts and accepts industry standard 2 prong plug. Available in amber or red.

PART NO.	REF. NO.	DESCRIPTION
164R	421513	PIRANHA LED 2" ROUND CLEARANCE/SIDE MARKER RED
164A	421516	PIRANHA LED 2" ROUND CLEARANCE/SIDE MARKER AMBER
24174R	421514	LIGHT LED 2" ROUND CLEARANCE/SIDE MARKER RED
24174A	421517	LIGHT LED 2" ROUND CLEARANCE/SIDE MARKER AMBER
166-18K	421518	GROMMET & PIGTAIL FOR 2" ROUND LED FLUSH MOUNT



## 2 1/2" Round LED Clearance/Marker Lights

Clearance, side marker, or identification light versatility in a 2 1/2" round LED light; featuring sealed lens and housing. Operates from 9-16 volts. Accepts industry standard 2 prong plug. Available in amber or red.

PART NO.	REF. NO.	DESCRIPTION
162R	421520	PIRANHA LED 2-1/2" RND CLEARANCE/SIDE MARKER RED
162A	421524	PIRANHA LED 2-1/2" RND CLEARANCE/SIDE MARKER AMBER
24172R	421521	LED 2-1/2" RND CLEARANCE/SIDE MARKER RED
24172A	421525	LED 2-1/2" RND CLEARANCE/SIDE MARKER AMBER
163-18K	421526	GRMMT/PIGTAIL FOR 2 1/2" RND LED RECESS MOUNT
162-18K	421528	GRMMT/PIGTAIL FOR 2 1/2" RND LED FLUSH MOUNT





## LED Taillights

Round or oval, 7-diode LED stop, turn, and tail light meets FMVSS 108 in any 360 degree position. Operates from 9-16 volts.




420R-3



PART NO.	REF. NO.	DESCRIPTION
420R-3	421495	LIGHT LED OVAL 7-DIODE STOP/TURN/TAIL W/PIGTAIL
421-18	421501	RUBBER GROMMET FOR SEALED OVAL STOP/TURN/TAIL LIGHT
LED-RT	421555	LED 4" ROUND, 7-DIODE, STOP/TURN/TAIL
426-18	421556	RUBBER GROMMET FOR SEALED 4" ROUND STP/TRN/TAIL
B417-49	421560	PIGTAIL FOR 4" RND LED & 10-DIODE OVAL LED LIGHT



## Identification Mini-Light Bar




107-3R

The 107 Series light bar has three mini-lights and contains #193 (12v) 15,000 hour heavy-duty bulbs. The 150 Series Bar features #2250 sealed lights for boat trailer use.


PART NO.	REF. NO.	DESCRIPTION	MNTG. BAR
107WA	422400	AMBER REPLACEMENT LENS	
107WR	422600	RED REPLACEMENT LENS	
107-3A	427800	AMBER LIGHT BAR	WHITE FINISH
107-3R	428000	RED LIGHT BAR	WHITE FINISH
150-3R	428100	RED SEALED LIGHTS	BLACK MOLDING
107-15A	443400	AMBER REPLACEMENT LENS	
107-15R	443600	RED REPLACEMENT LENS	
M150R	446600	RED REPL SEALED BEAM FOR 2636R & 150-3R	

150-3R Sealed Marine Lights



## VIBAR Identification Light Bar

This unit has three "Champion" lights with acrylic lenses that snap and seal into Lexan housings. The exclusive VIBAR sockets minimize premature bulb failure. The mounting bar is constructed of heavy gauge aluminum. It contains #193 (12v) 15,000 hour heavy-duty bulbs.



104-3R

PART NO.	REF. NO.	DESCRIPTION	MNTG. BAR
104R	421800	RED REPLACEMENT LIGHT	
104-3R	427600	RED ID LIGHT BAR	ALUMINUM
100-15R	443200	RED REPLACEMENT LENS	

LIGHTS & ELECTRICAL



## Thin-Line Identification Light Bar

This unit has three heavy-duty acrylic Thin-Line lenses that firmly snap into molded "O" rings on a sturdy black-finish steel bar. Attaches with two easy-access mounting holes. Only 2" wide, this unit contains #194 (12v) 2,500 hour heavy-duty bulbs.




136-3R

PART NO.	REF. NO.	DESCRIPTION	MNTG. BAR
136-3R	428200	RED LIGHT BAR	BLACK-FINISH STEEL
136-3A	428400	AMBER LIGHT BAR	BLACK-FINISH STEEL
136-15A	448800	AMBER REPLACEMENT LENS	
136-15R	449000	RED REPLACEMENT LENS	

## Rectangular Clearance or Side Marker Light/Reflector Single Stud Mount

This Side Marker or Clearance Light also acts as a Class A Reflector. Mounts with a single 1/4" diameter stud and features a patented VIBAR socket which extends bulb life. It contains a #194 (12v) 2,500 hour heavy-duty bulb.



114A & R

PART NO.	REF. NO.	DESCRIPTION
----------	----------	-------------

114A	423200	AMBER LIGHT
114R	423400	RED LIGHT
55-15A	442600	AMBER REPLACEMENT LENS
55-15R	442800	RED REPLACEMENT LENS
114-15A	442700	LENS, CLEARANCE LIGHT, AMBER, NEW 114/115A
114-15R	442900	LENS, CLEARANCE LIGHT, RED, NEW 114/115R



## Rectangular Clearance or Side Marker Light/Reflector Surface Mount


This Side Marker or Clearance Light also acts as a Class A Reflector. Mounts with two screws without disassembly. The rugged molded housing protects the recessed lens from rocks and gravel. All the metal parts are stainless steel, so the light will not corrode. It contains a #194 (12v) 2,500 hour heavy-duty bulb.



115A



PART NO.	REF. NO.	DESCRIPTION	HOUSING
115A	423600	AMBER LIGHT	BLACK MOLDING
115R	423800	RED LIGHT	BLACK MOLDING
55-15A	442600	AMBER REPLACEMENT LENS	
55-15R	442800	RED REPLACEMENT LENS	



## Rectangular Clearance or Side Marker Light


This deluxe, high-styled Clearance or Side Marker Light features chrome plating. A heavy molded vinyl mounting pad seals the back of the light. Requires a one inch diameter socket mounting hole. Stainless steel lens screws are included. It contains #194 (12v) 2,500 hour heavy-duty bulb.



126R





PART NO.	REF. NO.	DESCRIPTION	HOUSING
126A	424800	AMBER LIGHT	CHROME MOLDING
126R	425000	RED LIGHT	CHROME MOLDING
126-15A	445000	AMBER REPLACEMENT LENS	
126-15R	445400	RED REPLACEMENT LENS	



## Rectangular Two Bulb Clearance or Side Marker Light

This popular style Clearance or Side Marker Light has a molded plastic base containing two VIBAR sockets for prolonged bulb life. All metal parts are tinned brass. It contains #193 (12v) 15,000 hour heavy-duty bulbs.

PART NO.	REF. NO.	DESCRIPTION
138A	425600	AMBER LIGHT
138R	425800	RED LIGHT
138-15A	446000	AMBER REPLACEMENT LENS
138-15R	446200	RED REPLACEMENT LENS



138A





### Steel Armored Clearance and Side Marker Light

The acrylic lens is guarded by a 14 gauge bright plated steel housing, can be spot-welded to trailer rails and mounts without disassembly. The patented VIBAR socket minimizes premature bulb failure. Contains a #168 (12v) 2,500 hour heavy-duty bulb.



119R



PART NO.	REF. NO.	DESCRIPTION	HOUSING
119A	424000	AMBER LIGHT	CHROME-PLATED STEEL
119R	424200	RED LIGHT	CHROME-PLATED STEEL
119-15A	444200	AMBER REPLACEMENT LENS	
119-15R	444400	RED REPLACEMENT LENS	




### Vanguard II Armored Clearance and Side Marker Light

These armored lights are available with a standard grey or chrome plated molded nylon or aluminum housings that resists rust and corrosion. The patented VIBAR socket minimizes premature bulb failure. The pass-through mounting holes permit installation without disassembly and its flat back eliminates the need for a socket hole. Comes with a Lexide Mounting Gasket. Contains a #193 (12v) 15,000 hour heavy-duty bulb.

122XA



122A



PART NO.	REF. NO.	DESCRIPTION	HOUSING
122A	424300	AMBER LIGHT	GREY MOLDING
122R	424350	RED LIGHT	GREY MOLDING
122XA	424400	AMBER LIGHT	CHROME MOLDING
122XR	424600	RED LIGHT	CHROME MOLDING
124A	424650	AMBER LIGHT	ALUMINUM MOLDING
124R	424700	RED LIGHT	ALUMINIUM MOLDING
124-15A	444600	AMBER REPLACEMENT LENS	
124-15R	444800	RED REPLACEMENT LENS	



### Thin-Line Clearance or Side Marker Light

This oblong light in a non-corrosive, shock-absorbing molded housing is designed for narrow rails and channels where 2" wide lights will not fit. Featuring a cellulose sponge mounting pad, it measures 3 1/2" x 1 1/8" high with two 13/64" mounting holes on 2 3/4" centers and contains a #194 (12v) 2,500 hour heavy-duty bulb.



M136A



M136R

PART NO.	REF. NO.	DESCRIPTION
M136R	427200	RED LIGHT
M136A	427400	AMBER LIGHT
136-15A	448800	AMBER REPLACEMENT LENS
136-15R	449000	RED REPLACEMENT LENS



### Sealed Clearance or Side Marker Light

The Lexan sealed lights are ideal for applications where small, attractive, waterproof clearance or marker lights are desired. The 2250 and 2636 series measure 2 1/4" x 1 1/4" x 3/4". The 2637 series measures 3 13/16" x 1 1/4" x 7/8" and comes with two bulbs.



2637R

2636R


PART NO.	REF. NO.	DESCRIPTION	HOUSING
2250A	435200	AMBER LIGHT	CHROME PLATED MOLDED PLASTIC
2250R	435400	RED LIGHT	CHROME PLATED MOLDED PLASTIC
2636A	435500	AMBER LIGHT	RUBBER GROMMET
2636R	435505	RED LIGHT	RUBBER GROMMET
2637A	435510	AMBER LIGHT	BLACK MOLDED PLASTIC
2637R	435515	RED LIGHT	BLACK MOLDED PLASTIC
M150R	446600	RED REP'L	SEALD BEAM FOR 2636R & 150-3R



### Mini Clearance and Side Marker Light

This light is unbelievably compact, yet packed with quality features. The acrylic lens locks into the base and is highly resistant to being knocked out. It contains a #193 (12v) 15,000 hour heavy-duty bulb.

107WR





PART NO.	REF. NO.	DESCRIPTION	HOUSING
107WA	422400	AMBER LIGHT	WHITE MOLDING
107WR	422600	RED LIGHT	WHITE MOLDING
107-15A	443400	AMBER REPLACEMENT LENS	
107-15R	443600	RED REPLACEMENT LENS	

### Oblong Clearance or Side Marker Light/Reflector



This Light and Class A Reflector combination features “cross- optics” for a brilliant signal and patented VIBAR sockets to prolong bulb life. Contains one or two #193 (12v) 15,000 hour heavy-duty bulbs.

PART NO.	REF. NO.	DESCRIPTION
108WA	422800	AMBER LIGHT W/ 1 BULB
108WR	423000	RED LIGHT W/ 1 BULB
106A	422000	AMBER LIGHT W/ 2 BULBS
106R	422100	RED LIGHT W/ 2 BULBS
108-15A	443800	AMBER REPLACEMENT LENS
108-15R	444000	RED REPLACEMENT LENS




### Oblong Two Bulb Clearance and Side Marker Light



This Two Bulb Light features two VIBAR sockets for prolonged bulb life. The acrylic lens snaps and seals into the housing. It contains two #193 (12v) 15,000 hour heavy-duty bulbs.


PART NO.	REF. NO.	DESCRIPTION
135A	425200	AMBER LIGHT
135R	425400	RED LIGHT
134-15A	445600	AMBER REPLACEMENT LENS
134-15R	445800	RED REPLACEMENT LENS



### Round Sealed Clearance and Side Marker Light



The 2 1/2” Round Lights have Lexan lenses and housings sonically welded into sealed, single units. 143 Series has a built-in Class A Reflector in the lens. 2 1/2” Round Lights require a 142-18K or 143-18K Mounting Kit. The 2” Round Lights utilize standard lenses, and are used for mounting in areas with limited space and require 146-18K Mounting Kits. Mounting Kits contain a grommet, plug and grounding screw. They contain one #193 (12v) 15,000 hour heavy-duty bulb.



142A & 142R



143A 143R



146A



PART NO.	REF. NO.	DESCRIPTION	HOUSING
142A	425850	AMBER, 2 1/2” ROUND	STANDARD LENS
142R	425900	RED, 2 1/2” ROUND	STANDARD LENS
143A	426000	AMBER, 2 1/2” ROUND	REFLECTOR LENS
143R	426200	RED, 2 1/2” ROUND	REFLECTOR LENS
142-18K	426800	MNTG KIT FOR RECESSED 2 1/2” ROUND LIGHT, REQUIRES A 3” HOLE	
143-18K	427000	MNTG KIT FOR FLUSH 2 1/2” ROUND LIGHT, REQUIRES A 2 25/32” HOLE	
146A	427100	AMBER, 2” ROUND	STANDARD LENS
146R	427110	RED, 2” ROUND	STANDARD LENS
146-18K	427125	MNTG KIT FOR FLUSH 2” ROUND LIGHT, REQUIRES A 2 5/16” HOLE	
142-49	426600	REPL. PLUG FOR 142, 143 & 146 SERIES LIGHTS	



142-18K



143-18K

